

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068665-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON / A DEMARCO
Collected by:

Grab/Collection Date: 11/19/2015 09:12

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: HOOSAC MEADOWS APT
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068665-01

Sample Type: Finished Water

Lab Tracking Id: H MDWS APT

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 44.4 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068666-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 11/19/2015 09:30

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY

Sampling Location Details: [REDACTED]

Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068666-01

Sample Type: Finished Water

Lab Tracking Id: [REDACTED] RT 22

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 39.4 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068667-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: A. DEMARCO / T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 09:50

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details:  BOVIE HILL

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068667-01

Sample Type: Finished Water

Lab Tracking Id:  BOVIE HILL RD

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068668-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: A. DEMARCO / T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 09:55

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: **●** BOVIE HILL RD - WELL WATER
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068668-01

Sample Type: Raw Water

Lab Tracking Id: **●** BH RD WELL

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 149 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068669-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: A. DEMARCO / T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 10:23
Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: LESTER LANE
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068669-01

Sample Type: Raw Water

Lab Tracking Id: LESTER LN

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 153 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1500068670-SR-1

Page 1 of 1

Report Date: 01/15/2016

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: A. DEMARCO T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 10:33
Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: ■ LESTER LANE
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068670-01

Sample Type: Raw Water

Lab Tracking Id: ■ LESTER LN

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068671-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: AJD / TEV
Collected by:

Grab/Collection Date: 11/19/2015 10:43

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: [REDACTED] RT 22
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068671-01

Sample Type: Raw Water

Lab Tracking Id: [REDACTED] RT22

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 60.2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068672-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: AJD / TEV
Collected by:

Grab/Collection Date: 11/19/2015 10:55

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: [REDACTED] RT 22
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068672-01

Sample Type: Raw Water

Lab Tracking Id: [REDACTED] RT22

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068673-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: AJD / TEV
Collected by:

Grab/Collection Date: 11/19/2015 11:09
Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: ■ MECHANIC ST
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068673-01

Sample Type: Raw Water

Lab Tracking Id: ■ MECHANIC ST

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 12.6 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068674-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
Submitted by: TIM VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 11/19/2015 11:30

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: [REDACTED] RT 22 - [REDACTED]
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068674-01

Sample Type: Raw Water

Lab Tracking Id: [REDACTED] RT22

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068675-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENNELAER
City (or) Town: HOOSICK FALLS
Submitted by: A. DEMARCO / T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 12:00

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: ■■■ BALL ST EXT
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068675-01

Sample Type: Raw Water

Lab Tracking Id: ■■■ BALL ST

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 8.6 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068676-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: A DEMARCO / T VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015 12:15

Date received: 11/19/2015 14:30

Location/Project/Facility Name: PFOA STUDY
Sampling Location Details: **████** HONE ST

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068676-01

Sample Type: Finished Water

Lab Tracking Id: **████** HONE ST

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 10.3 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1500068678-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
Submitted by: A. DEMARCO / T. VICKERSON
Collected by:

Grab/Collection Date: 11/19/2015

Date received: 11/19/2015 14:30

Location/Project/Facility Name: TRIP BLANK
Sampling Location Details: WITH SAMPLE(S): EHS1500068665 - 676

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1500068678-01

Sample Type: Trip Blank

Lab Tracking Id: FIELD BLANK

Laboratory Special Analysis

Start Date: 1/4/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000372-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 01/06/2016 08:30

Date received: 01/06/2016 14:30

Additional Info: 146FT DEEP WELL

Location/Project/Facility Name: **BOVIE HILL RD**

Sampling Location Details: **BOVIE HILL RD**

BOVIE HILL RD
HOOSICK FALLS NY 12090
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000372-01

Sample Type: Well Water

Received Temperature (°C): **14.0**

Received State: **Cooling**

Lab Tracking Id: **BOVIE**

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 206 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000373-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 01/06/2016 05:45

Date received: 01/06/2016 14:30

Additional Info: DEAN

Location/Project/Facility Name: **BOVIE HILL RD**
BOVIE HILL RD

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000373-01

Sample Type: Well Water

Received Temperature (°C): **14.2**

Received State: **Cooling**

Lab Tracking Id: **BOVIE**

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 10.8 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000374-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON
Collected by:

Grab/Collection Date: 01/06/2016 09:30

Date received: 01/06/2016 14:30

Additional Info: 170 FT

Location/Project/Facility Name: **LESTER**

Sampling Location Details: WELL

LESTER

Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000374-01

Sample Type: Well Water

Received Temperature (°C): **14.0**

Received State: **Cooling**

Lab Tracking Id: **LESTER**

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000375-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 01/06/2016 09:40

Date received: 01/06/2016 14:30

Additional Info: 152 FT

Location/Project/Facility Name: **LESTER LANE**

Sampling Location Details:

LESTER LANE

Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000375-01

Sample Type: Well Water

Received Temperature (°C): **14.4**

Received State: **Cooling**

Lab Tracking Id: **LESTER**

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000376-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 01/06/2016 09:50
Date received: 01/06/2016 14:30

Additional Info: 802-3790204 ANGEL QUASNIAT

Location/Project/Facility Name: [REDACTED] RT 22
[REDACTED] RT 22
HOOSICK FALLS NY
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000376-01

Sample Type: Well Water

Received Temperature (°C): **14.7**

Received State: **Cooling**

Lab Tracking Id: [REDACTED] RT 22

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 32.0 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600000377-SR-1**

Page 1 of 1

Report Date: **01/15/2016**

Report retrieved via NYSDOH Health Commerce System by tev01 on 01/19/2016

REQUESTED BY: DIRECTOR-CEHBEEI

DIRECTOR'S OFFICE
BUREAU OF ENVIRONMENTAL EXPOSURE INVESTIGATION
ROOM 1717
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Environmental Exposure Investigation (BEEI)

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON / A. DEMARCO
Collected by:

Grab/Collection Date: 01/06/2016 11:15

Date received: 01/06/2016 14:30

Location/Project/Facility Name: BUS GARAGE - HFCS
BUS GARAGE - HFCS NY 22
HOOSICK FALLS NY 12090
Chlorinated: No

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600000377-01

Sample Type: Well Water

Received Temperature (°C): **17.7**

Lab Tracking Id: BUS GARAGE

Laboratory Special Analysis

Start Date: 1/7/2016 Analysis Date: 1/7/2016

Perfluorooctanoic acid (PFOA): 412 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.