


ANALYTICAL REPORT

Eurofins Lancaster Laboratories Env, LLC
2425 New Holland Pike
Lancaster, PA 17601
Tel: (717)656-2300

Laboratory Job ID: 410-42452-1
Laboratory Sample Delivery Group: Hoo
Client Project/Site: Hoosick Falls WTP

For:
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Attn: Mr. Kirk Moline



Authorized for release by:
6/17/2021 1:20:05 PM

Paul Hobart, Project Manager
(617)312-8660
Paul.Hobart@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Paul Hobart
Project Manager
6/17/2021 1:20:05 PM

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Detection Summary 6

Client Sample Results 7

Surrogate Summary 12

Isotope Dilution Summary 13

QC Sample Results 14

QC Association Summary 19

Lab Chronicle 21

Certification Summary 23

Method Summary 24

Sample Summary 25

Chain of Custody 26

Receipt Checklists 28



Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Qualifiers

LCMS

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*3	ISTD response or retention time outside acceptable limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Job ID: 410-42452-1

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Narrative

Job Narrative 410-42452-1

Receipt

The samples were received on 6/4/2021 12:11 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.3°C

LCMS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: GAC Influent

Lab Sample ID: 410-42452-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorooctanesulfonamide	2.3		1.9	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.6		1.9	ng/L	1		537 (Mod)	Total/NA
Perfluorohexanoic acid	8.7		1.8	ng/L	1		537 DW	Total/NA
Perfluoroheptanoic acid	10		1.8	ng/L	1		537 DW	Total/NA
Perfluorooctanesulfonic acid	3.1		1.8	ng/L	1		537 DW	Total/NA
Perfluorooctanoic acid - DL	350		18	ng/L	10		537 DW	Total/NA

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-42452-2

No Detections.

Client Sample ID: GAC Effluent

Lab Sample ID: 410-42452-3

No Detections.

Client Sample ID: FTB01-210603

Lab Sample ID: 410-42452-4

No Detections.

Client Sample ID: LTB01-210603

Lab Sample ID: 410-42452-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Env, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: GAC Influent

Lab Sample ID: 410-42452-1

Date Collected: 06/03/21 10:00

Matrix: Water

Date Received: 06/04/21 12:11

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.6	U	4.6	ng/L		06/08/21 07:16	06/09/21 10:13	1
8:2 Fluorotelomer sulfonic acid	2.8	U	2.8	ng/L		06/08/21 07:16	06/09/21 10:13	1
Perfluorobutanoic acid	4.6	U	4.6	ng/L		06/08/21 07:16	06/09/21 10:13	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		06/08/21 07:16	06/09/21 10:13	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		06/08/21 07:16	06/09/21 10:13	1
Perfluorooctanesulfonamide	2.3		1.9	ng/L		06/08/21 07:16	06/09/21 10:13	1
Perfluoropentanoic acid	2.6		1.9	ng/L		06/08/21 07:16	06/09/21 10:13	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	83		29 - 189	06/08/21 07:16	06/09/21 10:13	1
M2-8:2 FTS	94		34 - 182	06/08/21 07:16	06/09/21 10:13	1
13C4 PFBA	84		41 - 132	06/08/21 07:16	06/09/21 10:13	1
13C5 PFPeA	81		33 - 155	06/08/21 07:16	06/09/21 10:13	1
13C8 PFOS	80		49 - 126	06/08/21 07:16	06/09/21 10:13	1
13C8 FOSA	72		10 - 143	06/08/21 07:16	06/09/21 10:13	1
13C3 PFHxS	88		32 - 145	06/08/21 07:16	06/09/21 10:13	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	8.7		1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluoroheptanoic acid	10		1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorooctanesulfonic acid	3.1		1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
NEtFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
NMeFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 20:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	98		70 - 130	06/07/21 07:39	06/08/21 20:55	1
13C2 PFDA	115		70 - 130	06/07/21 07:39	06/08/21 20:55	1
13C2 PFHxA	108		70 - 130	06/07/21 07:39	06/08/21 20:55	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	350		18	ng/L		06/07/21 07:39	06/08/21 21:19	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	81	*3	70 - 130	06/07/21 07:39	06/08/21 21:19	10
13C2 PFDA	84		70 - 130	06/07/21 07:39	06/08/21 21:19	10
13C2 PFHxA	79		70 - 130	06/07/21 07:39	06/08/21 21:19	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: GAC Midfluent

Lab Sample ID: 410-42452-2

Date Collected: 06/03/21 10:03

Matrix: Water

Date Received: 06/04/21 12:11

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		06/08/21 07:16	06/09/21 10:23	1
8:2 Fluorotelomer sulfonic acid	2.7	U	2.7	ng/L		06/08/21 07:16	06/09/21 10:23	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		06/08/21 07:16	06/09/21 10:23	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		06/08/21 07:16	06/09/21 10:23	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		06/08/21 07:16	06/09/21 10:23	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		06/08/21 07:16	06/09/21 10:23	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		06/08/21 07:16	06/09/21 10:23	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	95		29 - 189	06/08/21 07:16	06/09/21 10:23	1
M2-8:2 FTS	93		34 - 182	06/08/21 07:16	06/09/21 10:23	1
13C4 PFBA	92		41 - 132	06/08/21 07:16	06/09/21 10:23	1
13C5 PFPeA	85		33 - 155	06/08/21 07:16	06/09/21 10:23	1
13C8 PFOS	86		49 - 126	06/08/21 07:16	06/09/21 10:23	1
13C8 FOSA	78		10 - 143	06/08/21 07:16	06/09/21 10:23	1
13C3 PFHxS	84		32 - 145	06/08/21 07:16	06/09/21 10:23	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
NEtFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
NMeFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	91		70 - 130	06/07/21 07:39	06/08/21 21:30	1
13C2 PFDA	101		70 - 130	06/07/21 07:39	06/08/21 21:30	1
13C2 PFHxA	99		70 - 130	06/07/21 07:39	06/08/21 21:30	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: GAC Effluent

Lab Sample ID: 410-42452-3

Date Collected: 06/03/21 10:05

Matrix: Water

Date Received: 06/04/21 12:11

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.4	U	4.4	ng/L		06/08/21 07:16	06/09/21 10:34	1
8:2 Fluorotelomer sulfonic acid	2.6	U	2.6	ng/L		06/08/21 07:16	06/09/21 10:34	1
Perfluorobutanoic acid	4.4	U	4.4	ng/L		06/08/21 07:16	06/09/21 10:34	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		06/08/21 07:16	06/09/21 10:34	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		06/08/21 07:16	06/09/21 10:34	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		06/08/21 07:16	06/09/21 10:34	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		06/08/21 07:16	06/09/21 10:34	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	100		29 - 189	06/08/21 07:16	06/09/21 10:34	1
M2-8:2 FTS	90		34 - 182	06/08/21 07:16	06/09/21 10:34	1
13C4 PFBA	99		41 - 132	06/08/21 07:16	06/09/21 10:34	1
13C5 PFPeA	96		33 - 155	06/08/21 07:16	06/09/21 10:34	1
13C8 PFOS	94		49 - 126	06/08/21 07:16	06/09/21 10:34	1
13C8 FOSA	86		10 - 143	06/08/21 07:16	06/09/21 10:34	1
13C3 PFHxS	89		32 - 145	06/08/21 07:16	06/09/21 10:34	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
NEtFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
NMeFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 21:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	90		70 - 130	06/07/21 07:39	06/08/21 21:42	1
13C2 PFDA	98		70 - 130	06/07/21 07:39	06/08/21 21:42	1
13C2 PFHxA	98		70 - 130	06/07/21 07:39	06/08/21 21:42	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: FTB01-210603

Lab Sample ID: 410-42452-4

Date Collected: 06/03/21 10:08

Matrix: Water

Date Received: 06/04/21 12:11

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.0	U	4.0	ng/L		06/15/21 09:58	06/15/21 21:53	1
8:2 Fluorotelomer sulfonic acid	2.4	U	2.4	ng/L		06/15/21 09:58	06/15/21 21:53	1
Perfluorobutanoic acid	4.0	U	4.0	ng/L		06/15/21 09:58	06/15/21 21:53	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		06/15/21 09:58	06/15/21 21:53	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		06/15/21 09:58	06/15/21 21:53	1
Perfluorooctanesulfonamide	1.6	U *	1.6	ng/L		06/15/21 09:58	06/15/21 21:53	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		06/15/21 09:58	06/15/21 21:53	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	137		29 - 189	06/15/21 09:58	06/15/21 21:53	1
M2-8:2 FTS	120		34 - 182	06/15/21 09:58	06/15/21 21:53	1
13C4 PFBA	103		41 - 132	06/15/21 09:58	06/15/21 21:53	1
13C5 PFPeA	97		33 - 155	06/15/21 09:58	06/15/21 21:53	1
13C8 PFOS	102		49 - 126	06/15/21 09:58	06/15/21 21:53	1
13C8 FOSA	81		10 - 143	06/15/21 09:58	06/15/21 21:53	1
13C3 PFHxS	110		32 - 145	06/15/21 09:58	06/15/21 21:53	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluoroheptanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorooctanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorononanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorooctanesulfonic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
NEtFOSAA	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
NMeFOSAA	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		06/07/21 07:39	06/08/21 21:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	84		70 - 130	06/07/21 07:39	06/08/21 21:53	1
13C2 PFDA	109		70 - 130	06/07/21 07:39	06/08/21 21:53	1
13C2 PFHxA	100		70 - 130	06/07/21 07:39	06/08/21 21:53	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: LTB01-210603

Lab Sample ID: 410-42452-5

Date Collected: 06/03/21 00:00

Matrix: Water

Date Received: 06/04/21 12:11

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	4.5	U	4.5	ng/L		06/15/21 09:58	06/15/21 22:04	1
8:2 Fluorotelomer sulfonic acid	2.7	U	2.7	ng/L		06/15/21 09:58	06/15/21 22:04	1
Perfluorobutanoic acid	4.5	U	4.5	ng/L		06/15/21 09:58	06/15/21 22:04	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		06/15/21 09:58	06/15/21 22:04	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		06/15/21 09:58	06/15/21 22:04	1
Perfluorooctanesulfonamide	1.8	U *	1.8	ng/L		06/15/21 09:58	06/15/21 22:04	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		06/15/21 09:58	06/15/21 22:04	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	126		29 - 189	06/15/21 09:58	06/15/21 22:04	1
M2-8:2 FTS	110		34 - 182	06/15/21 09:58	06/15/21 22:04	1
13C4 PFBA	98		41 - 132	06/15/21 09:58	06/15/21 22:04	1
13C5 PFPeA	105		33 - 155	06/15/21 09:58	06/15/21 22:04	1
13C8 PFOS	98		49 - 126	06/15/21 09:58	06/15/21 22:04	1
13C8 FOSA	80		10 - 143	06/15/21 09:58	06/15/21 22:04	1
13C3 PFHxS	92		32 - 145	06/15/21 09:58	06/15/21 22:04	1

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
NEtFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
NMeFOSAA	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		06/07/21 07:39	06/08/21 22:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	94		70 - 130	06/07/21 07:39	06/08/21 22:05	1
13C2 PFDA	104		70 - 130	06/07/21 07:39	06/08/21 22:05	1
13C2 PFHxA	97		70 - 130	06/07/21 07:39	06/08/21 22:05	1

Surrogate Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		d5NEFOS (70-130)	PFDA (70-130)	PFHxA (70-130)
410-42452-1	GAC Influent	98	115	108
410-42452-1 - DL	GAC Influent	81 *3	84	79
410-42452-2	GAC Midfluent	91	101	99
410-42452-3	GAC Effluent	90	98	98
410-42452-4	FTB01-210603	84	109	100
410-42452-5	LTB01-210603	94	104	97
LCS 410-134659/2-A	Lab Control Sample	92	111	100
LCSD 410-134659/3-A	Lab Control Sample Dup	90	104	100
MB 410-134659/1-A	Method Blank	88	100	92

Surrogate Legend

d5NEFOS = d5-NEtFOSAA

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

Isotope Dilution Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (29-189)	M282FTS (34-182)	PFBA (41-132)	PFPeA (33-155)	C8PFOS (49-126)	PFOSA (10-143)	C3PFHS (32-145)
410-42452-1	GAC Influent	83	94	84	81	80	72	88
410-42452-2	GAC Midfluent	95	93	92	85	86	78	84
410-42452-3	GAC Effluent	100	90	99	96	94	86	89
410-42452-4	FTB01-210603	137	120	103	97	102	81	110
410-42452-5	LTB01-210603	126	110	98	105	98	80	92
LCS 410-135109/2-A	Lab Control Sample	96	91	98	90	98	73	89
LCS 410-137919/2-A	Lab Control Sample	105	104	89	86	87	69	89
LCSD 410-135109/3-A	Lab Control Sample Dup	99	92	98	95	95	73	91
LCSD 410-137919/3-A	Lab Control Sample Dup	130	119	102	97	103	80	107
MB 410-135109/1-A	Method Blank	95	100	96	92	91	69	89
MB 410-137919/1-A	Method Blank	117	99	88	86	91	73	89

Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-135109/1-A

Matrix: Water

Analysis Batch: 135289

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 135109

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	5.0	U	5.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
8:2 Fluorotelomer sulfonic acid	3.0	U	3.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
Perfluorobutanoic acid	5.0	U	5.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		06/08/21 07:16	06/09/21 00:10	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		06/08/21 07:16	06/09/21 00:10	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	95		29 - 189	06/08/21 07:16	06/09/21 00:10	1
M2-8:2 FTS	100		34 - 182	06/08/21 07:16	06/09/21 00:10	1
13C4 PFBA	96		41 - 132	06/08/21 07:16	06/09/21 00:10	1
13C5 PFPeA	92		33 - 155	06/08/21 07:16	06/09/21 00:10	1
13C8 PFOS	91		49 - 126	06/08/21 07:16	06/09/21 00:10	1
13C8 FOSA	69		10 - 143	06/08/21 07:16	06/09/21 00:10	1
13C3 PFHxS	89		32 - 145	06/08/21 07:16	06/09/21 00:10	1

Lab Sample ID: LCS 410-135109/2-A

Matrix: Water

Analysis Batch: 135289

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 135109

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
6:2 Fluorotelomer sulfonic acid	24.3	26.9		ng/L		111	57 - 137
8:2 Fluorotelomer sulfonic acid	24.5	29.0		ng/L		118	56 - 140
Perfluorobutanoic acid	25.6	24.3		ng/L		95	62 - 156
Perfluorodecanesulfonic acid	24.7	25.1		ng/L		102	61 - 134
Perfluoroheptanesulfonic acid	24.4	25.1		ng/L		103	67 - 135
Perfluorooctanesulfonamide	25.6	31.5		ng/L		123	55 - 130
Perfluoropentanoic acid	25.6	26.8		ng/L		105	72 - 139

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
M2-6:2 FTS	96		29 - 189
M2-8:2 FTS	91		34 - 182
13C4 PFBA	98		41 - 132
13C5 PFPeA	90		33 - 155
13C8 PFOS	98		49 - 126
13C8 FOSA	73		10 - 143
13C3 PFHxS	89		32 - 145

Lab Sample ID: LCSD 410-135109/3-A

Matrix: Water

Analysis Batch: 135289

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 135109

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
6:2 Fluorotelomer sulfonic acid	24.3	27.7		ng/L		114	57 - 137	3	30
8:2 Fluorotelomer sulfonic acid	24.5	29.9		ng/L		122	56 - 140	3	30
Perfluorobutanoic acid	25.6	24.7		ng/L		96	62 - 156	2	30
Perfluorodecanesulfonic acid	24.7	26.3		ng/L		106	61 - 134	5	30
Perfluoroheptanesulfonic acid	24.4	25.5		ng/L		105	67 - 135	1	30

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-135109/3-A

Matrix: Water

Analysis Batch: 135289

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 135109

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	32.2		ng/L		126	55 - 130	2	30
Perfluoropentanoic acid	25.6	26.8		ng/L		104	72 - 139	0	30

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
M2-6:2 FTS	99		29 - 189
M2-8:2 FTS	92		34 - 182
13C4 PFBA	98		41 - 132
13C5 PFPeA	95		33 - 155
13C8 PFOS	95		49 - 126
13C8 FOSA	73		10 - 143
13C3 PFHxS	91		32 - 145

Lab Sample ID: MB 410-137919/1-A

Matrix: Water

Analysis Batch: 137718

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 137919

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	5.0	U	5.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
8:2 Fluorotelomer sulfonic acid	3.0	U	3.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
Perfluorobutanoic acid	5.0	U	5.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		06/15/21 09:58	06/15/21 21:20	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		06/15/21 09:58	06/15/21 21:20	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	117		29 - 189	06/15/21 09:58	06/15/21 21:20	1
M2-8:2 FTS	99		34 - 182	06/15/21 09:58	06/15/21 21:20	1
13C4 PFBA	88		41 - 132	06/15/21 09:58	06/15/21 21:20	1
13C5 PFPeA	86		33 - 155	06/15/21 09:58	06/15/21 21:20	1
13C8 PFOS	91		49 - 126	06/15/21 09:58	06/15/21 21:20	1
13C8 FOSA	73		10 - 143	06/15/21 09:58	06/15/21 21:20	1
13C3 PFHxS	89		32 - 145	06/15/21 09:58	06/15/21 21:20	1

Lab Sample ID: LCS 410-137919/2-A

Matrix: Water

Analysis Batch: 137718

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 137919

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
6:2 Fluorotelomer sulfonic acid	24.3	30.1		ng/L		124	57 - 137
8:2 Fluorotelomer sulfonic acid	24.5	28.5		ng/L		116	56 - 140
Perfluorobutanoic acid	25.6	31.7		ng/L		124	62 - 156
Perfluorodecanesulfonic acid	24.7	29.0		ng/L		117	61 - 134
Perfluoroheptanesulfonic acid	24.4	27.2		ng/L		112	67 - 135
Perfluorooctanesulfonamide	25.6	56.9	*+	ng/L		222	55 - 130
Perfluoropentanoic acid	25.6	32.1		ng/L		125	72 - 139

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
M2-6:2 FTS	105		29 - 189

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCS 410-137919/2-A

Matrix: Water

Analysis Batch: 137718

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 137919

Isotope Dilution	LCS		Limits
	%Recovery	Qualifier	
M2-8:2 FTS	104		34 - 182
13C4 PFBA	89		41 - 132
13C5 PFPeA	86		33 - 155
13C8 PFOS	87		49 - 126
13C8 FOSA	69		10 - 143
13C3 PFHxS	89		32 - 145

Lab Sample ID: LCSD 410-137919/3-A

Matrix: Water

Analysis Batch: 137718

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 137919

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	Limit
							Limits	RPD		
6:2 Fluorotelomer sulfonic acid	24.3	32.2		ng/L		133	57 - 137	7		30
8:2 Fluorotelomer sulfonic acid	24.5	29.6		ng/L		121	56 - 140	4		30
Perfluorobutanoic acid	25.6	31.6		ng/L		123	62 - 156	1		30
Perfluorodecanesulfonic acid	24.7	31.5		ng/L		128	61 - 134	8		30
Perfluoroheptanesulfonic acid	24.4	29.0		ng/L		119	67 - 135	7		30
Perfluorooctanesulfonamide	25.6	56.6	*+	ng/L		221	55 - 130	1		30
Perfluoropentanoic acid	25.6	34.3		ng/L		134	72 - 139	7		30

Isotope Dilution	LCSD		Limits
	%Recovery	Qualifier	
M2-6:2 FTS	130		29 - 189
M2-8:2 FTS	119		34 - 182
13C4 PFBA	102		41 - 132
13C5 PFPeA	97		33 - 155
13C8 PFOS	103		49 - 126
13C8 FOSA	80		10 - 143
13C3 PFHxS	107		32 - 145

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MB 410-134659/1-A

Matrix: Water

Analysis Batch: 135201

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 134659

Analyte	MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Perfluorohexanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
NEtFOSAA	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
NMeFOSAA	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: MB 410-134659/1-A

Matrix: Water

Analysis Batch: 135201

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 134659

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorododecanoic acid	2.0	U	2.0	ng/L		06/07/21 07:39	06/08/21 17:16	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	88		70 - 130			06/07/21 07:39	06/08/21 17:16	1
13C2 PFDA	100		70 - 130			06/07/21 07:39	06/08/21 17:16	1
13C2 PFHxA	92		70 - 130			06/07/21 07:39	06/08/21 17:16	1

Lab Sample ID: LCS 410-134659/2-A

Matrix: Water

Analysis Batch: 135201

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 134659

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Perfluorohexanoic acid	25.6	26.3		ng/L		103	70 - 130
Perfluoroheptanoic acid	25.6	25.9		ng/L		101	70 - 130
Perfluorooctanoic acid	25.6	26.4		ng/L		103	70 - 130
Perfluorononanoic acid	25.6	27.6		ng/L		108	70 - 130
Perfluorodecanoic acid	25.6	27.3		ng/L		107	70 - 130
Perfluorotridecanoic acid	25.6	29.6		ng/L		115	70 - 130
Perfluorotetradecanoic acid	25.6	29.8		ng/L		117	70 - 130
Perfluorobutanesulfonic acid	22.7	23.1		ng/L		102	70 - 130
Perfluorohexanesulfonic acid	23.3	24.7		ng/L		106	70 - 130
Perfluorooctanesulfonic acid	23.7	24.6		ng/L		104	70 - 130
NEtFOSAA	25.6	24.2		ng/L		95	70 - 130
NMeFOSAA	25.6	24.2		ng/L		94	70 - 130
Perfluoroundecanoic acid	25.6	27.1		ng/L		106	70 - 130
Perfluorododecanoic acid	25.6	29.6		ng/L		116	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
d5-NEtFOSAA	92		70 - 130				
13C2 PFDA	111		70 - 130				
13C2 PFHxA	100		70 - 130				

Lab Sample ID: LCSD 410-134659/3-A

Matrix: Water

Analysis Batch: 135201

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 134659

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Perfluorohexanoic acid	25.6	26.4		ng/L		103	70 - 130	0	30
Perfluoroheptanoic acid	25.6	26.0		ng/L		102	70 - 130	1	30
Perfluorooctanoic acid	25.6	26.7		ng/L		104	70 - 130	1	30
Perfluorononanoic acid	25.6	28.4		ng/L		111	70 - 130	3	30
Perfluorodecanoic acid	25.6	27.2		ng/L		106	70 - 130	1	30
Perfluorotridecanoic acid	25.6	29.3		ng/L		115	70 - 130	1	30
Perfluorotetradecanoic acid	25.6	29.5		ng/L		115	70 - 130	1	30
Perfluorobutanesulfonic acid	22.7	22.8		ng/L		101	70 - 130	1	30
Perfluorohexanesulfonic acid	23.3	24.3		ng/L		104	70 - 130	1	30
Perfluorooctanesulfonic acid	23.7	24.0		ng/L		101	70 - 130	2	30
NEtFOSAA	25.6	22.5		ng/L		88	70 - 130	8	30

Eurofins Lancaster Laboratories Env, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: LCSD 410-134659/3-A

Matrix: Water

Analysis Batch: 135201

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 134659

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
NMeFOSAA	25.6	24.4		ng/L		95	70 - 130	1	30
Perfluoroundecanoic acid	25.6	27.0		ng/L		106	70 - 130	0	30
Perfluorododecanoic acid	25.6	27.8		ng/L		109	70 - 130	6	30

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
d5-NEtFOSAA	90		70 - 130
13C2 PFDA	104		70 - 130
13C2 PFHxA	100		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

LCMS

Prep Batch: 134659

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-1 - DL	GAC Influent	Total/NA	Water	537 DW	
410-42452-1	GAC Influent	Total/NA	Water	537 DW	
410-42452-2	GAC Midfluent	Total/NA	Water	537 DW	
410-42452-3	GAC Effluent	Total/NA	Water	537 DW	
410-42452-4	FTB01-210603	Total/NA	Water	537 DW	
410-42452-5	LTB01-210603	Total/NA	Water	537 DW	
MB 410-134659/1-A	Method Blank	Total/NA	Water	537 DW	
LCS 410-134659/2-A	Lab Control Sample	Total/NA	Water	537 DW	
LCSD 410-134659/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	

Prep Batch: 135109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-1	GAC Influent	Total/NA	Water	537 (Mod)	
410-42452-2	GAC Midfluent	Total/NA	Water	537 (Mod)	
410-42452-3	GAC Effluent	Total/NA	Water	537 (Mod)	
MB 410-135109/1-A	Method Blank	Total/NA	Water	537 (Mod)	
LCS 410-135109/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	
LCSD 410-135109/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	

Analysis Batch: 135201

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-1	GAC Influent	Total/NA	Water	537 DW	134659
410-42452-1 - DL	GAC Influent	Total/NA	Water	537 DW	134659
410-42452-2	GAC Midfluent	Total/NA	Water	537 DW	134659
410-42452-3	GAC Effluent	Total/NA	Water	537 DW	134659
410-42452-4	FTB01-210603	Total/NA	Water	537 DW	134659
410-42452-5	LTB01-210603	Total/NA	Water	537 DW	134659
MB 410-134659/1-A	Method Blank	Total/NA	Water	537 DW	134659
LCS 410-134659/2-A	Lab Control Sample	Total/NA	Water	537 DW	134659
LCSD 410-134659/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	134659

Analysis Batch: 135289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-135109/1-A	Method Blank	Total/NA	Water	537 (Mod)	135109
LCS 410-135109/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	135109
LCSD 410-135109/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	135109

Analysis Batch: 135634

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-1	GAC Influent	Total/NA	Water	537 (Mod)	135109
410-42452-2	GAC Midfluent	Total/NA	Water	537 (Mod)	135109
410-42452-3	GAC Effluent	Total/NA	Water	537 (Mod)	135109

Analysis Batch: 137718

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-4	FTB01-210603	Total/NA	Water	537 (Mod)	137919
410-42452-5	LTB01-210603	Total/NA	Water	537 (Mod)	137919
MB 410-137919/1-A	Method Blank	Total/NA	Water	537 (Mod)	137919
LCS 410-137919/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	137919
LCSD 410-137919/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	137919

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

LCMS

Prep Batch: 137919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-42452-4	FTB01-210603	Total/NA	Water	537 (Mod)	
410-42452-5	LTB01-210603	Total/NA	Water	537 (Mod)	
MB 410-137919/1-A	Method Blank	Total/NA	Water	537 (Mod)	
LCS 410-137919/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	
LCSD 410-137919/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Client Sample ID: GAC Influent

Date Collected: 06/03/21 10:00

Date Received: 06/04/21 12:11

Lab Sample ID: 410-42452-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			135109	06/08/21 07:16	W5MU	ELLE
Total/NA	Analysis	537 (Mod)		1	135634	06/09/21 10:13	OLN7	ELLE
Total/NA	Prep	537 DW			134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW		1	135201	06/08/21 20:55	DCS9	ELLE
Total/NA	Prep	537 DW	DL		134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW	DL	10	135201	06/08/21 21:19	DCS9	ELLE

Client Sample ID: GAC Midfluent

Date Collected: 06/03/21 10:03

Date Received: 06/04/21 12:11

Lab Sample ID: 410-42452-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			135109	06/08/21 07:16	W5MU	ELLE
Total/NA	Analysis	537 (Mod)		1	135634	06/09/21 10:23	OLN7	ELLE
Total/NA	Prep	537 DW			134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW		1	135201	06/08/21 21:30	DCS9	ELLE

Client Sample ID: GAC Effluent

Date Collected: 06/03/21 10:05

Date Received: 06/04/21 12:11

Lab Sample ID: 410-42452-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			135109	06/08/21 07:16	W5MU	ELLE
Total/NA	Analysis	537 (Mod)		1	135634	06/09/21 10:34	OLN7	ELLE
Total/NA	Prep	537 DW			134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW		1	135201	06/08/21 21:42	DCS9	ELLE

Client Sample ID: FTB01-210603

Date Collected: 06/03/21 10:08

Date Received: 06/04/21 12:11

Lab Sample ID: 410-42452-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			137919	06/15/21 09:58	S7AC	ELLE
Total/NA	Analysis	537 (Mod)		1	137718	06/15/21 21:53	OLN7	ELLE
Total/NA	Prep	537 DW			134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW		1	135201	06/08/21 21:53	DCS9	ELLE

Client Sample ID: LTB01-210603

Date Collected: 06/03/21 00:00

Date Received: 06/04/21 12:11

Lab Sample ID: 410-42452-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	537 (Mod)			137919	06/15/21 09:58	S7AC	ELLE
Total/NA	Analysis	537 (Mod)		1	137718	06/15/21 22:04	OLN7	ELLE
Total/NA	Prep	537 DW			134659	06/07/21 07:39	RDL8	ELLE
Total/NA	Analysis	537 DW		1	135201	06/08/21 22:05	DCS9	ELLE

Eurofins Lancaster Laboratories Env, LLC

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Laboratory: Eurofins Lancaster Laboratories Env, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	537 (Mod)	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorobutanoic acid
537 (Mod)	537 (Mod)	Water	Perfluorodecanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluoroheptanesulfonic acid
537 (Mod)	537 (Mod)	Water	Perfluorooctanesulfonamide
537 (Mod)	537 (Mod)	Water	Perfluoropentanoic acid
537 DW	537 DW	Water	NEtFOSAA
537 DW	537 DW	Water	NMeFOSAA
537 DW	537 DW	Water	Perfluorobutanesulfonic acid
537 DW	537 DW	Water	Perfluorodecanoic acid
537 DW	537 DW	Water	Perfluorododecanoic acid
537 DW	537 DW	Water	Perfluoroheptanoic acid
537 DW	537 DW	Water	Perfluorohexanesulfonic acid
537 DW	537 DW	Water	Perfluorohexanoic acid
537 DW	537 DW	Water	Perfluorononanoic acid
537 DW	537 DW	Water	Perfluorooctanesulfonic acid
537 DW	537 DW	Water	Perfluorooctanoic acid
537 DW	537 DW	Water	Perfluorotetradecanoic acid
537 DW	537 DW	Water	Perfluorotridecanoic acid
537 DW	537 DW	Water	Perfluoroundecanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
537 DW	Perfluorinated Alkyl Acids (LC/MS)	EPA	ELLE
537 (Mod)	537 Version 1.1 modified	EPA	ELLE
537 DW	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Env, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-42452-1
SDG: Hoo

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
410-42452-1	GAC Influent	Water	06/03/21 10:00	06/04/21 12:11	
410-42452-2	GAC Midfluent	Water	06/03/21 10:03	06/04/21 12:11	
410-42452-3	GAC Effluent	Water	06/03/21 10:05	06/04/21 12:11	
410-42452-4	FTB01-210603	Water	06/03/21 10:08	06/04/21 12:11	
410-42452-5	LTB01-210603	Water	06/03/21 00:00	06/04/21 12:11	

ENVIRONMENTAL & ECONOMIC
DISORDER

C.D.

ENVIRONMENTAL & ECONOMIC
DISORDER

C.D.

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-42452-1

SDG Number: Hoo

Login Number: 42452

List Source: Eurofins Lancaster Laboratories Env, LLC

List Number: 1

Creator: Sanchez, Melvin E

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temperature is acceptable ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	N/A	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified.	N/A	
Residual Chlorine Checked.	N/A	
Sample custody seals are intact.	True	