

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Kirk Moline  
CT Male Associates DPC  
50 Century Hill Dr  
Latham, New York 12110

Generated 4/28/2023 4:39:55 PM

## JOB DESCRIPTION

Hoosick Falls WTP

## JOB NUMBER

410-120972-1

# Eurofins Lancaster Laboratories Environment Testing, LLC

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
4/28/2023 4:39:55 PM

Authorized for release by  
Paul Hobart, Project Manager  
[Paul.Hobart@et.eurofinsus.com](mailto:Paul.Hobart@et.eurofinsus.com)  
(617)312-8660

## Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	4
Definitions/Glossary . . . . .	5
Case Narrative . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Surrogate Summary . . . . .	16
Isotope Dilution Summary . . . . .	17
QC Sample Results . . . . .	18
QC Association Summary . . . . .	23
Lab Chronicle . . . . .	25
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	31

## Definitions/Glossary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

### Qualifiers

#### LCMS

Qualifier	Qualifier Description
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
D	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

## Case Narrative

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

### Job ID: 410-120972-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

#### Narrative

Job Narrative  
410-120972-1

#### Receipt

The samples were received on 3/31/2023 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.4°C

#### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Detection Summary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

### Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-120972-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	2.7		1.8	ng/L	1	537 (Mod)	Total/NA	
Perfluoropentanoic acid	1.9		1.8	ng/L	1	537 (Mod)	Total/NA	
Perfluorohexanoic acid	8.9		1.8	ng/L	1	537 DW	Total/NA	
Perfluoroheptanoic acid	11		1.8	ng/L	1	537 DW	Total/NA	
Perfluoroctanesulfonic acid	3.1		1.8	ng/L	1	537 DW	Total/NA	
Perfluoroctanoic acid - DL	350		18	ng/L	10	537 DW	Total/NA	

### Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-120972-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	4.7		1.7	ng/L	1	537 (Mod)	Total/NA	

### Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-120972-3

No Detections.

### Client Sample ID: PV-01\_25

Lab Sample ID: 410-120972-4

No Detections.

### Client Sample ID: PV-01\_50

Lab Sample ID: 410-120972-5

No Detections.

### Client Sample ID: PV-01\_75

Lab Sample ID: 410-120972-6

No Detections.

### Client Sample ID: FTB01-230330

Lab Sample ID: 410-120972-7

No Detections.

### Client Sample ID: LTB01-230330

Lab Sample ID: 410-120972-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

# Client Sample Results

Client: CT Male Associates DPC  
 Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Client Sample ID: GAC INFLUENT

Date Collected: 03/30/23 09:20  
 Date Received: 03/31/23 10:00

Lab Sample ID: 410-120972-1

Matrix: Water

### Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
<b>Perfluorobutanoic acid</b>	<b>2.7</b>		1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
<b>Perfluoropentanoic acid</b>	<b>1.9</b>		1.8	ng/L	04/16/23 07:40	04/28/23 06:57		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	111		17 - 200			04/16/23 07:40	04/28/23 06:57	1
M2-8:2 FTS	121		33 - 200			04/16/23 07:40	04/28/23 06:57	1
13C4 PFBA	123		42 - 165			04/16/23 07:40	04/28/23 06:57	1
13C5 PFPeA	123		38 - 187			04/16/23 07:40	04/28/23 06:57	1
13C8 PFOS	116		51 - 159			04/16/23 07:40	04/28/23 06:57	1
13C8 FOSA	90		10 - 168			04/16/23 07:40	04/28/23 06:57	1
13C3 PFHxA	124		28 - 188			04/16/23 07:40	04/28/23 06:57	1

### Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Perfluorohexanoic acid</b>	<b>8.9</b>		1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
<b>Perfluoroheptanoic acid</b>	<b>11</b>		1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
<b>Perfluorooctanesulfonic acid</b>	<b>3.1</b>		1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
NEtFOSAA	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
NMeFOSAA	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	04/06/23 07:50	04/19/23 05:22		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	100		70 - 130			04/06/23 07:50	04/19/23 05:22	1
13C2 PFDA	104		70 - 130			04/06/23 07:50	04/19/23 05:22	1
13C2 PFHxA	109		70 - 130			04/06/23 07:50	04/19/23 05:22	1

### Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS) - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Perfluorooctanoic acid</b>	<b>350</b>		18	ng/L	04/06/23 07:50	04/20/23 12:12		10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	83		70 - 130			04/06/23 07:50	04/20/23 12:12	10
13C2 PFDA	95		70 - 130			04/06/23 07:50	04/20/23 12:12	10
13C2 PFHxA	93		70 - 130			04/06/23 07:50	04/20/23 12:12	10

# Client Sample Results

Client: CT Male Associates DPC  
 Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Client Sample ID: GAC MIDFLUENT

Date Collected: 03/30/23 09:25  
 Date Received: 03/31/23 10:00

Lab Sample ID: 410-120972-2

Matrix: Water

### Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
<b>Perfluorobutanoic acid</b>	<b>4.7</b>		1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:08		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	125		17 - 200			04/16/23 07:40	04/28/23 07:08	1
M2-8:2 FTS	112		33 - 200			04/16/23 07:40	04/28/23 07:08	1
13C4 PFBA	122		42 - 165			04/16/23 07:40	04/28/23 07:08	1
13C5 PFPeA	124		38 - 187			04/16/23 07:40	04/28/23 07:08	1
13C8 PFOS	123		51 - 159			04/16/23 07:40	04/28/23 07:08	1
13C8 FOSA	106		10 - 168			04/16/23 07:40	04/28/23 07:08	1
13C3 PFHxA	115		28 - 188			04/16/23 07:40	04/28/23 07:08	1

### Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluoroctanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluoroctanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
NEtFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
NMeFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:34		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	93		70 - 130			04/06/23 07:50	04/19/23 05:34	1
13C2 PFDA	94		70 - 130			04/06/23 07:50	04/19/23 05:34	1
13C2 PFHxA	94		70 - 130			04/06/23 07:50	04/19/23 05:34	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Client Sample ID: GAC EFFLUENT

Date Collected: 03/30/23 09:30  
Date Received: 03/31/23 10:00

Lab Sample ID: 410-120972-3

Matrix: Water

### Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Perfluorobutanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:19		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	126		17 - 200			04/16/23 07:40	04/28/23 07:19	1
M2-8:2 FTS	100		33 - 200			04/16/23 07:40	04/28/23 07:19	1
13C4 PFBA	109		42 - 165			04/16/23 07:40	04/28/23 07:19	1
13C5 PFPeA	109		38 - 187			04/16/23 07:40	04/28/23 07:19	1
13C8 PFOS	116		51 - 159			04/16/23 07:40	04/28/23 07:19	1
13C8 FOSA	89		10 - 168			04/16/23 07:40	04/28/23 07:19	1
13C3 PFHxA	111		28 - 188			04/16/23 07:40	04/28/23 07:19	1

### Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluoroctanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluoroctanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
NEtFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
NMeFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:45		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	93		70 - 130			04/06/23 07:50	04/19/23 05:45	1
13C2 PFDA	89		70 - 130			04/06/23 07:50	04/19/23 05:45	1
13C2 PFHxA	90		70 - 130			04/06/23 07:50	04/19/23 05:45	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: PV-01\_25**  
Date Collected: 03/30/23 10:00  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-4**  
Matrix: Water

## Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Perfluorobutanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:30		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	136		17 - 200			04/16/23 07:40	04/28/23 07:30	1
M2-8:2 FTS	113		33 - 200			04/16/23 07:40	04/28/23 07:30	1
13C4 PFBA	123		42 - 165			04/16/23 07:40	04/28/23 07:30	1
13C5 PFPeA	117		38 - 187			04/16/23 07:40	04/28/23 07:30	1
13C8 PFOS	124		51 - 159			04/16/23 07:40	04/28/23 07:30	1
13C8 FOSA	101		10 - 168			04/16/23 07:40	04/28/23 07:30	1
13C3 PFHxA	124		28 - 188			04/16/23 07:40	04/28/23 07:30	1

## Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluoroctanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluoroctanesulfonic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
NEtFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
NMeFOSAA	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	04/06/23 07:50	04/19/23 05:57		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	85		70 - 130			04/06/23 07:50	04/19/23 05:57	1
13C2 PFDA	93		70 - 130			04/06/23 07:50	04/19/23 05:57	1
13C2 PFHxA	89		70 - 130			04/06/23 07:50	04/19/23 05:57	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: PV-01\_50**  
Date Collected: 03/30/23 10:10  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-5**  
Matrix: Water

## Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Perfluorobutanoic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 07:41		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	124		17 - 200			04/16/23 07:40	04/28/23 07:41	1
M2-8:2 FTS	122		33 - 200			04/16/23 07:40	04/28/23 07:41	1
13C4 PFBA	112		42 - 165			04/16/23 07:40	04/28/23 07:41	1
13C5 PFPeA	112		38 - 187			04/16/23 07:40	04/28/23 07:41	1
13C8 PFOS	118		51 - 159			04/16/23 07:40	04/28/23 07:41	1
13C8 FOSA	92		10 - 168			04/16/23 07:40	04/28/23 07:41	1
13C3 PFHxA	107		28 - 188			04/16/23 07:40	04/28/23 07:41	1

## Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluoroctanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluoroctanesulfonic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
NEtFOSAA	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
NMeFOSAA	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	04/07/23 07:51	04/19/23 19:33		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	98		70 - 130			04/07/23 07:51	04/19/23 19:33	1
13C2 PFDA	98		70 - 130			04/07/23 07:51	04/19/23 19:33	1
13C2 PFHxA	96		70 - 130			04/07/23 07:51	04/19/23 19:33	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: PV-01\_75**  
Date Collected: 03/30/23 10:20  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-6**  
Matrix: Water

## Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Perfluorobutanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	04/16/23 07:40	04/28/23 07:52		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	124		17 - 200			04/16/23 07:40	04/28/23 07:52	1
M2-8:2 FTS	116		33 - 200			04/16/23 07:40	04/28/23 07:52	1
13C4 PFBA	113		42 - 165			04/16/23 07:40	04/28/23 07:52	1
13C5 PFPeA	111		38 - 187			04/16/23 07:40	04/28/23 07:52	1
13C8 PFOS	114		51 - 159			04/16/23 07:40	04/28/23 07:52	1
13C8 FOSA	92		10 - 168			04/16/23 07:40	04/28/23 07:52	1
13C3 PFHxA	104		28 - 188			04/16/23 07:40	04/28/23 07:52	1

## Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluoroctanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluoroctanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
NEtFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
NMeFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/26/23 08:23		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	90		70 - 130			04/07/23 07:51	04/26/23 08:23	1
13C2 PFDA	92		70 - 130			04/07/23 07:51	04/26/23 08:23	1
13C2 PFHxA	95		70 - 130			04/07/23 07:51	04/26/23 08:23	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: FTB01-230330**  
Date Collected: 03/30/23 10:25  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-7**  
Matrix: Water

## Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Perfluorobutanoic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Perfluoroctanesulfonamide	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Perfluoropentanoic acid	1.9	U	1.9	ng/L	04/16/23 07:40	04/28/23 08:14		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	109		17 - 200			04/16/23 07:40	04/28/23 08:14	1
M2-8:2 FTS	95		33 - 200			04/16/23 07:40	04/28/23 08:14	1
13C4 PFBA	105		42 - 165			04/16/23 07:40	04/28/23 08:14	1
13C5 PFPeA	106		38 - 187			04/16/23 07:40	04/28/23 08:14	1
13C8 PFOS	104		51 - 159			04/16/23 07:40	04/28/23 08:14	1
13C8 FOSA	84		10 - 168			04/16/23 07:40	04/28/23 08:14	1
13C3 PFHxA	97		28 - 188			04/16/23 07:40	04/28/23 08:14	1

## Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluoroctanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluoroctanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
NEtFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
NMeFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 19:56		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	97		70 - 130			04/07/23 07:51	04/19/23 19:56	1
13C2 PFDA	98		70 - 130			04/07/23 07:51	04/19/23 19:56	1
13C2 PFHxA	97		70 - 130			04/07/23 07:51	04/19/23 19:56	1

# Client Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: LTB01-230330**  
Date Collected: 03/30/23 00:00  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-8**  
Matrix: Water

## Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Perfluorobutanoic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	04/16/23 07:40	04/28/23 08:25		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	132		17 - 200			04/16/23 07:40	04/28/23 08:25	1
M2-8:2 FTS	111		33 - 200			04/16/23 07:40	04/28/23 08:25	1
13C4 PFBA	124		42 - 165			04/16/23 07:40	04/28/23 08:25	1
13C5 PFPeA	136		38 - 187			04/16/23 07:40	04/28/23 08:25	1
13C8 PFOS	123		51 - 159			04/16/23 07:40	04/28/23 08:25	1
13C8 FOSA	106		10 - 168			04/16/23 07:40	04/28/23 08:25	1
13C3 PFHxA	120		28 - 188			04/16/23 07:40	04/28/23 08:25	1

## Method: EPA 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluoroctanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluoroctanesulfonic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
NEtFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
NMeFOSAA	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	04/07/23 07:51	04/19/23 20:08		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	91		70 - 130			04/07/23 07:51	04/19/23 20:08	1
13C2 PFDA	96		70 - 130			04/07/23 07:51	04/19/23 20:08	1
13C2 PFHxA	89		70 - 130			04/07/23 07:51	04/19/23 20:08	1

# Surrogate Summary

Client: CT Male Associates DPC  
 Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		d5NEFOS (70-130)	PFDA (70-130)	PFHxA (70-130)
410-120972-1	GAC INFLUENT	100	104	109
410-120972-1 - DL	GAC INFLUENT	83	95	93
410-120972-2	GAC MIDFLUENT	93	94	94
410-120972-3	GAC EFFLUENT	93	89	90
410-120972-4	PV-01_25	85	93	89
410-120972-5	PV-01_50	98	98	96
410-120972-6	PV-01_75	90	92	95
410-120972-7	FTB01-230330	97	98	97
410-120972-8	LTB01-230330	91	96	89
LCS 410-361478/2-A	Lab Control Sample	101	87	88
LCS 410-361932/2-A	Lab Control Sample	92	93	93
LCSD 410-361478/3-A	Lab Control Sample Dup	101	99	91
LCSD 410-361932/3-A	Lab Control Sample Dup	102	100	90
LLCS 410-361478/4-A	Lab Control Sample	94	100	88
MB 410-361478/1-A	Method Blank	95	85	91
MB 410-361932/1-A	Method Blank	97	87	93

### Surrogate Legend

d5NEFOS = d5-NETFOSAA

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

# Isotope Dilution Summary

Client: CT Male Associates DPC  
 Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

### Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	M262FTS (17-200)	M282FTS (33-200)	PFBA (42-165)	PFPeA (38-187)	C8PFOS (51-159)	PFOSA (10-168)	C3PFHS (28-188)
410-120972-1	GAC INFLUENT	111	121	123	123	116	90	124
410-120972-2	GAC MIDFLUENT	125	112	122	124	123	106	115
410-120972-3	GAC EFFLUENT	126	100	109	109	116	89	111
410-120972-4	PV-01_25	136	113	123	117	124	101	124
410-120972-5	PV-01_50	124	122	112	112	118	92	107
410-120972-6	PV-01_75	124	116	113	111	114	92	104
410-120972-7	FTB01-230330	109	95	105	106	104	84	97
410-120972-8	LTB01-230330	132	111	124	136	123	106	120
LCS 410-364760/3-A	Lab Control Sample	126	117	115	123	110	95	115
MB 410-364760/1-A	Method Blank	132	114	123	121	117	92	108

#### Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

# QC Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 (Mod) - EPA 537 Version 1.1 modified

**Lab Sample ID:** MB 410-364760/1-A

**Client Sample ID:** Method Blank

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 369602

**Prep Batch:** 364760

Analyte	MB		MB		Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL						
6:2 Fluorotelomer sulfonic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
8:2 Fluorotelomer sulfonic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
Perfluorobutanoic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
Perfluorodecanesulfonic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
Perfluoroheptanesulfonic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
Perfluorooctanesulfonamide	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
Perfluoropentanoic acid	2.0	U	2.0		ng/L		04/16/23 07:40	04/28/23 05:17	1
MB		MB							
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared		Analyzed	Dil Fac
M2-6:2 FTS	132		17 - 200			04/16/23 07:40		04/28/23 05:17	1
M2-8:2 FTS	114		33 - 200			04/16/23 07:40		04/28/23 05:17	1
13C4 PFBA	123		42 - 165			04/16/23 07:40		04/28/23 05:17	1
13C5 PFPeA	121		38 - 187			04/16/23 07:40		04/28/23 05:17	1
13C8 PFOS	117		51 - 159			04/16/23 07:40		04/28/23 05:17	1
13C8 FOSA	92		10 - 168			04/16/23 07:40		04/28/23 05:17	1
13C3 PFHxS	108		28 - 188			04/16/23 07:40		04/28/23 05:17	1

**Lab Sample ID:** LCS 410-364760/3-A

**Client Sample ID:** Lab Control Sample

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 369602

**Prep Batch:** 364760

Analyte	Spike		LCS		Unit	D	%Rec	Limits	
	Added	Result	Qualifier						
6:2 Fluorotelomer sulfonic acid	24.3	21.3			ng/L		88	28 - 173	
8:2 Fluorotelomer sulfonic acid	24.5	23.7			ng/L		97	55 - 138	
Perfluorobutanoic acid	25.6	21.7			ng/L		85	59 - 136	
Perfluorodecanesulfonic acid	24.7	22.4			ng/L		91	55 - 137	
Perfluoroheptanesulfonic acid	24.4	21.5			ng/L		88	56 - 140	
Perfluorooctanesulfonamide	25.6	26.6			ng/L		104	43 - 167	
Perfluoropentanoic acid	25.6	24.2			ng/L		94	57 - 141	
LCS		LCS							
Isotope Dilution	%Recovery	Qualifier	Limits						
M2-6:2 FTS	126		17 - 200						
M2-8:2 FTS	117		33 - 200						
13C4 PFBA	115		42 - 165						
13C5 PFPeA	123		38 - 187						
13C8 PFOS	110		51 - 159						
13C8 FOSA	95		10 - 168						
13C3 PFHxS	115		28 - 188						

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS)

**Lab Sample ID:** MB 410-361478/1-A

**Client Sample ID:** Method Blank

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 365582

**Prep Batch:** 361478

Analyte	MB		MB		Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier	RL						
Perfluorohexanoic acid	2.0	U	2.0		ng/L		04/06/23 07:50	04/19/23 01:19	1
Perfluoroheptanoic acid	2.0	U	2.0		ng/L		04/06/23 07:50	04/19/23 01:19	1
Perfluorooctanoic acid	2.0	U	2.0		ng/L		04/06/23 07:50	04/19/23 01:19	1

Eurofins Lancaster Laboratories Environment Testing, LLC

# QC Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID:** MB 410-361478/1-A

**Client Sample ID:** Method Blank

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 365582

**Prep Batch:** 361478

Analyte	MB	MB	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Perfluorononanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorodecanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorotridecanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorotetradecanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorobutanesulfonic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorohexanesulfonic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluoroctanesulfonic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
NEtFOSAA	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
NMeFOSAA	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluoroundecanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Perfluorododecanoic acid	2.0	U	2.0		2.0	ng/L	04/06/23 07:50	04/19/23 01:19		1
Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac		
	Result	Qualifier								
d5-NEtFOSAA	95		70 - 130			04/06/23 07:50	04/19/23 01:19		1	
13C2 PFDA	85		70 - 130			04/06/23 07:50	04/19/23 01:19		1	
13C2 PFHxA	91		70 - 130			04/06/23 07:50	04/19/23 01:19		1	

**Lab Sample ID:** LCS 410-361478/2-A

**Client Sample ID:** Lab Control Sample

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 365582

**Prep Batch:** 361478

Analyte	Spike	LCS	LCS	Result	Qualifier	Unit	D	%Rec	Limits	%Rec
	Added	Result	Qualifier							
Perfluorohexanoic acid	20.5	16.7		ng/L	82	70 - 130				
Perfluoroheptanoic acid	20.5	17.5		ng/L	86	70 - 130				
Perfluoroctanoic acid	20.5	17.7		ng/L	86	70 - 130				
Perfluorononanoic acid	20.5	17.1		ng/L	83	70 - 130				
Perfluorodecanoic acid	20.5	17.0		ng/L	83	70 - 130				
Perfluorotridecanoic acid	20.5	17.4		ng/L	85	70 - 130				
Perfluorotetradecanoic acid	20.5	19.1		ng/L	93	70 - 130				
Perfluorobutanesulfonic acid	18.1	15.6		ng/L	86	70 - 130				
Perfluorohexanesulfonic acid	18.7	16.8		ng/L	90	70 - 130				
Perfluoroctanesulfonic acid	19.0	16.4		ng/L	86	70 - 130				
NEtFOSAA	20.5	19.0		ng/L	93	70 - 130				
NMeFOSAA	20.5	18.1		ng/L	88	70 - 130				
Perfluoroundecanoic acid	20.5	18.3		ng/L	89	70 - 130				
Perfluorododecanoic acid	20.5	20.3		ng/L	99	70 - 130				
Surrogate	LCS	LCS	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac		
	Result	Qualifier								
d5-NEtFOSAA	101		70 - 130							
13C2 PFDA	87		70 - 130							
13C2 PFHxA	88		70 - 130							

**Lab Sample ID:** LCSD 410-361478/3-A

**Client Sample ID:** Lab Control Sample Dup

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 365582

**Prep Batch:** 361478

Analyte	Spike	LCSD	LCSD	Result	Qualifier	Unit	D	%Rec	Limits	RPD
	Added	Result	Qualifier							
Perfluorohexanoic acid	20.5	17.8		ng/L	87	70 - 130				

Eurofins Lancaster Laboratories Environment Testing, LLC

# QC Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: LCSD 410-361478/3-A**

**Matrix: Water**

**Analysis Batch: 365582**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

**Prep Batch: 361478**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Perfluoroheptanoic acid	20.5	19.3		ng/L		94	70 - 130	10	30
Perfluoroctanoic acid	20.5	18.5		ng/L		91	70 - 130	5	30
Perfluorononanoic acid	20.5	19.4		ng/L		95	70 - 130	13	30
Perfluorodecanoic acid	20.5	18.8		ng/L		92	70 - 130	10	30
Perfluorotridecanoic acid	20.5	18.9		ng/L		92	70 - 130	8	30
Perfluorotetradecanoic acid	20.5	21.9		ng/L		107	70 - 130	14	30
Perfluorobutanesulfonic acid	18.1	13.5		ng/L		75	70 - 130	14	30
Perfluorohexanesulfonic acid	18.7	16.9		ng/L		90	70 - 130	1	30
Perfluooctanesulfonic acid	19.0	16.5		ng/L		87	70 - 130	1	30
NEtFOSAA	20.5	17.9		ng/L		87	70 - 130	6	30
NMeFOSAA	20.5	16.7		ng/L		82	70 - 130	8	30
Perfluoroundecanoic acid	20.5	19.0		ng/L		93	70 - 130	4	30
Perfluorododecanoic acid	20.5	20.3		ng/L		99	70 - 130	0	30

**LCSD LCSD**

Surrogate	%Recovery	Qualifier	Limits
d5-NEtFOSAA	101		70 - 130
13C2 PFDA	99		70 - 130
13C2 PFHxA	91		70 - 130

**Lab Sample ID: LLCS 410-361478/4-A**

**Matrix: Water**

**Analysis Batch: 365582**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 361478**

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits
Perfluorohexanoic acid	1.92	1.65	J	ng/L		86	50 - 150
Perfluoroheptanoic acid	1.92	1.73	J	ng/L		90	50 - 150
Perfluoroctanoic acid	1.92	1.74	J	ng/L		90	50 - 150
Perfluorononanoic acid	1.92	1.66	J	ng/L		87	50 - 150
Perfluorodecanoic acid	1.92	1.60	J	ng/L		84	50 - 150
Perfluorotridecanoic acid	1.92	1.68	J	ng/L		87	50 - 150
Perfluorotetradecanoic acid	1.92	1.88	J	ng/L		98	50 - 150
Perfluorobutanesulfonic acid	1.70	1.21	J	ng/L		71	50 - 150
Perfluorohexanesulfonic acid	1.75	1.48	J	ng/L		84	50 - 150
Perfluooctanesulfonic acid	1.78	1.50	J	ng/L		84	50 - 150
NEtFOSAA	1.92	1.52	J	ng/L		79	50 - 150
NMeFOSAA	1.92	1.58	J	ng/L		82	50 - 150
Perfluoroundecanoic acid	1.92	1.74	J	ng/L		91	50 - 150
Perfluorododecanoic acid	1.92	1.69	J	ng/L		88	50 - 150

**LLCS LLCS**

Surrogate	%Recovery	Qualifier	Limits
d5-NEtFOSAA	94		70 - 130
13C2 PFDA	100		70 - 130
13C2 PFHxA	88		70 - 130

# QC Sample Results

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MB 410-361932/1-A**

**Matrix: Water**

**Analysis Batch: 368627**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 361932**

Analyte	MB		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Perfluorohexanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluoroctanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorononanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorodecanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluoroctanesulfonic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
NEtFOSAA	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
NMeFOSAA	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1
Perfluorododecanoic acid	2.0	U	2.0	ng/L	04/07/23 07:51	04/26/23 08:02		1

**MB MB**

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
d5-NEtFOSAA	97		70 - 130	04/07/23 07:51	04/26/23 08:02	1
13C2 PFDA	87		70 - 130	04/07/23 07:51	04/26/23 08:02	1
13C2 PFHxA	93		70 - 130	04/07/23 07:51	04/26/23 08:02	1

**Lab Sample ID: LCS 410-361932/2-A**

**Matrix: Water**

**Analysis Batch: 368627**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 361932**

Analyte	Spike		Result	LCS	LCS	Unit	D	%Rec	Limits
	Added	Qualifier							
Perfluorohexanoic acid	80.0		75.7			ng/L		95	70 - 130
Perfluoroheptanoic acid	80.0		68.2			ng/L		85	70 - 130
Perfluoroctanoic acid	80.0		72.7			ng/L		91	70 - 130
Perfluorononanoic acid	80.0		74.5			ng/L		93	70 - 130
Perfluorodecanoic acid	80.0		75.8			ng/L		95	70 - 130
Perfluorotridecanoic acid	80.0		72.4			ng/L		90	70 - 130
Perfluorotetradecanoic acid	80.0		76.8			ng/L		96	70 - 130
Perfluorobutanesulfonic acid	70.8		61.9			ng/L		87	70 - 130
Perfluorohexanesulfonic acid	73.0		66.0			ng/L		90	70 - 130
Perfluoroctanesulfonic acid	74.0		68.2			ng/L		92	70 - 130
NEtFOSAA	80.0		71.5			ng/L		89	70 - 130
NMeFOSAA	80.0		69.3			ng/L		87	70 - 130
Perfluoroundecanoic acid	80.0		73.1			ng/L		91	70 - 130
Perfluorododecanoic acid	80.0		72.1			ng/L		90	70 - 130

**LCS LCS**

Surrogate	LCS		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	92		70 - 130
13C2 PFDA	93		70 - 130
13C2 PFHxA	93		70 - 130

# QC Sample Results

Client: CT Male Associates DPC  
 Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## Method: 537 DW - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID:** LCSD 410-361932/3-A

**Client Sample ID:** Lab Control Sample Dup

**Matrix:** Water

**Prep Type:** Total/NA

**Analysis Batch:** 366261

**Prep Batch:** 361932

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorohexanoic acid	80.0	75.6		ng/L		94	70 - 130	0	30
Perfluoroheptanoic acid	80.0	84.2	E	ng/L		105	70 - 130	21	30
Perfluoroctanoic acid	80.0	76.4		ng/L		96	70 - 130	5	30
Perfluorononanoic acid	80.0	78.0		ng/L		98	70 - 130	5	30
Perfluorodecanoic acid	80.0	78.5		ng/L		98	70 - 130	4	30
Perfluorotridecanoic acid	80.0	75.7		ng/L		95	70 - 130	5	30
Perfluorotetradecanoic acid	80.0	87.1	E	ng/L		109	70 - 130	13	30
Perfluorobutanesulfonic acid	70.8	59.8		ng/L		84	70 - 130	3	30
Perfluorohexanesulfonic acid	73.0	74.5	E	ng/L		102	70 - 130	12	30
Perfluoroctanesulfonic acid	74.0	71.9		ng/L		97	70 - 130	5	30
NEtFOSAA	80.0	83.2	E	ng/L		104	70 - 130	15	30
NMeFOSAA	80.0	81.7	E	ng/L		102	70 - 130	16	30
Perfluoroundecanoic acid	80.0	82.9	E	ng/L		104	70 - 130	13	30
Perfluorododecanoic acid	80.0	87.7	E	ng/L		110	70 - 130	19	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	102		70 - 130
13C2 PFDA	100		70 - 130
13C2 PFHxA	90		70 - 130

# QC Association Summary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## LCMS

### Prep Batch: 361478

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-1	GAC INFLUENT	Total/NA	Water	537 DW	
410-120972-1 - DL	GAC INFLUENT	Total/NA	Water	537 DW	
410-120972-2	GAC MIDFLUENT	Total/NA	Water	537 DW	
410-120972-3	GAC EFFLUENT	Total/NA	Water	537 DW	
410-120972-4	PV-01_25	Total/NA	Water	537 DW	
MB 410-361478/1-A	Method Blank	Total/NA	Water	537 DW	
LCS 410-361478/2-A	Lab Control Sample	Total/NA	Water	537 DW	
LCSD 410-361478/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	
LLCS 410-361478/4-A	Lab Control Sample	Total/NA	Water	537 DW	

### Prep Batch: 361932

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-5	PV-01_50	Total/NA	Water	537 DW	
410-120972-6	PV-01_75	Total/NA	Water	537 DW	
410-120972-7	FTB01-230330	Total/NA	Water	537 DW	
410-120972-8	LTB01-230330	Total/NA	Water	537 DW	
MB 410-361932/1-A	Method Blank	Total/NA	Water	537 DW	
LCS 410-361932/2-A	Lab Control Sample	Total/NA	Water	537 DW	
LCSD 410-361932/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	

### Prep Batch: 364760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-1	GAC INFLUENT	Total/NA	Water	SPE	
410-120972-2	GAC MIDFLUENT	Total/NA	Water	SPE	
410-120972-3	GAC EFFLUENT	Total/NA	Water	SPE	
410-120972-4	PV-01_25	Total/NA	Water	SPE	
410-120972-5	PV-01_50	Total/NA	Water	SPE	
410-120972-6	PV-01_75	Total/NA	Water	SPE	
410-120972-7	FTB01-230330	Total/NA	Water	SPE	
410-120972-8	LTB01-230330	Total/NA	Water	SPE	
MB 410-364760/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-364760/3-A	Lab Control Sample	Total/NA	Water	SPE	

### Analysis Batch: 365582

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-1	GAC INFLUENT	Total/NA	Water	537 DW	361478
410-120972-2	GAC MIDFLUENT	Total/NA	Water	537 DW	361478
410-120972-3	GAC EFFLUENT	Total/NA	Water	537 DW	361478
410-120972-4	PV-01_25	Total/NA	Water	537 DW	361478
MB 410-361478/1-A	Method Blank	Total/NA	Water	537 DW	361478
LCS 410-361478/2-A	Lab Control Sample	Total/NA	Water	537 DW	361478
LCSD 410-361478/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	361478
LLCS 410-361478/4-A	Lab Control Sample	Total/NA	Water	537 DW	361478

### Analysis Batch: 366204

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-1 - DL	GAC INFLUENT	Total/NA	Water	537 DW	361478

### Analysis Batch: 366261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-5	PV-01_50	Total/NA	Water	537 DW	361932

# QC Association Summary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## LCMS (Continued)

### Analysis Batch: 366261 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-7	FTB01-230330	Total/NA	Water	537 DW	361932
410-120972-8	LTB01-230330	Total/NA	Water	537 DW	361932
LCSD 410-361932/3-A	Lab Control Sample Dup	Total/NA	Water	537 DW	361932

### Analysis Batch: 368627

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-6	PV-01_75	Total/NA	Water	537 DW	361932
MB 410-361932/1-A	Method Blank	Total/NA	Water	537 DW	361932
LCS 410-361932/2-A	Lab Control Sample	Total/NA	Water	537 DW	361932

### Analysis Batch: 369602

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-120972-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	364760
410-120972-2	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	364760
410-120972-3	GAC EFFLUENT	Total/NA	Water	537 (Mod)	364760
410-120972-4	PV-01_25	Total/NA	Water	537 (Mod)	364760
410-120972-5	PV-01_50	Total/NA	Water	537 (Mod)	364760
410-120972-6	PV-01_75	Total/NA	Water	537 (Mod)	364760
410-120972-7	FTB01-230330	Total/NA	Water	537 (Mod)	364760
410-120972-8	LTB01-230330	Total/NA	Water	537 (Mod)	364760
MB 410-364760/1-A	Method Blank	Total/NA	Water	537 (Mod)	364760
LCS 410-364760/3-A	Lab Control Sample	Total/NA	Water	537 (Mod)	364760

# Lab Chronicle

Client: CT Male Associates DPC

Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

## **Client Sample ID: GAC INFLUENT**

Date Collected: 03/30/23 09:20

Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-1**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 06:57
Total/NA	Prep	537 DW			361478	HQ8B	ELLE	04/06/23 07:50
Total/NA	Analysis	537 DW		1	365582	VK3G	ELLE	04/19/23 05:22
Total/NA	Prep	537 DW	DL		361478	HQ8B	ELLE	04/06/23 07:50
Total/NA	Analysis	537 DW	DL	10	366204	DCS9	ELLE	04/20/23 12:12

## **Client Sample ID: GAC MIDFLUENT**

Date Collected: 03/30/23 09:25

Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-2**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 07:08
Total/NA	Prep	537 DW			361478	HQ8B	ELLE	04/06/23 07:50
Total/NA	Analysis	537 DW		1	365582	VK3G	ELLE	04/19/23 05:34

## **Client Sample ID: GAC EFFLUENT**

Date Collected: 03/30/23 09:30

Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-3**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 07:19
Total/NA	Prep	537 DW			361478	HQ8B	ELLE	04/06/23 07:50
Total/NA	Analysis	537 DW		1	365582	VK3G	ELLE	04/19/23 05:45

## **Client Sample ID: PV-01\_25**

Date Collected: 03/30/23 10:00

Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-4**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 07:30
Total/NA	Prep	537 DW			361478	HQ8B	ELLE	04/06/23 07:50
Total/NA	Analysis	537 DW		1	365582	VK3G	ELLE	04/19/23 05:57

## **Client Sample ID: PV-01\_50**

Date Collected: 03/30/23 10:10

Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-5**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 07:41
Total/NA	Prep	537 DW			361932	HQ8B	ELLE	04/07/23 07:51
Total/NA	Analysis	537 DW		1	366261	VK3G	ELLE	04/19/23 19:33

## Lab Chronicle

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

**Client Sample ID: PV-01\_75**  
Date Collected: 03/30/23 10:20  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-6**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 07:52
Total/NA	Prep	537 DW			361932	HQ8B	ELLE	04/07/23 07:51
Total/NA	Analysis	537 DW		1	368627	VK3G	ELLE	04/26/23 08:23

**Client Sample ID: FTB01-230330**  
Date Collected: 03/30/23 10:25  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-7**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 08:14
Total/NA	Prep	537 DW			361932	HQ8B	ELLE	04/07/23 07:51
Total/NA	Analysis	537 DW		1	366261	VK3G	ELLE	04/19/23 19:56

**Client Sample ID: LTB01-230330**  
Date Collected: 03/30/23 00:00  
Date Received: 03/31/23 10:00

**Lab Sample ID: 410-120972-8**  
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			364760	RC3V	ELLE	04/16/23 07:40
Total/NA	Analysis	537 (Mod)		1	369602	QD9Y	ELLE	04/28/23 08:25
Total/NA	Prep	537 DW			361932	HQ8B	ELLE	04/07/23 07:51
Total/NA	Analysis	537 DW		1	366261	VK3G	ELLE	04/19/23 20:08

**Laboratory References:**

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

## Accreditation/Certification Summary

Client: CT Male Associates DPC

Job ID: 410-120972-1

Project/Site: Hoosick Falls WTP

### Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid
537 DW	537 DW	Water	NEtFOSAA
537 DW	537 DW	Water	NMeFOSAA
537 DW	537 DW	Water	Perfluorobutanesulfonic acid
537 DW	537 DW	Water	Perfluorodecanoic acid
537 DW	537 DW	Water	Perfluorododecanoic acid
537 DW	537 DW	Water	Perfluoroheptanoic acid
537 DW	537 DW	Water	Perfluorohexanesulfonic acid
537 DW	537 DW	Water	Perfluorohexanoic acid
537 DW	537 DW	Water	Perfluorononanoic acid
537 DW	537 DW	Water	Perfluoroctanesulfonic acid
537 DW	537 DW	Water	Perfluorooctanoic acid
537 DW	537 DW	Water	Perfluorotetradecanoic acid
537 DW	537 DW	Water	Perfluorotridecanoic acid
537 DW	537 DW	Water	Perfluoroundecanoic acid

## Method Summary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
537 DW	Perfluorinated Alkyl Acids (LC/MS)	EPA	ELLE
537 DW	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

## Sample Summary

Client: CT Male Associates DPC  
Project/Site: Hoosick Falls WTP

Job ID: 410-120972-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-120972-1	GAC INFLUENT	Water	03/30/23 09:20	03/31/23 10:00
410-120972-2	GAC MIDFLUENT	Water	03/30/23 09:25	03/31/23 10:00
410-120972-3	GAC EFFLUENT	Water	03/30/23 09:30	03/31/23 10:00
410-120972-4	PV-01_25	Water	03/30/23 10:00	03/31/23 10:00
410-120972-5	PV-01_50	Water	03/30/23 10:10	03/31/23 10:00
410-120972-6	PV-01_75	Water	03/30/23 10:20	03/31/23 10:00
410-120972-7	FTB01-230330	Water	03/30/23 10:25	03/31/23 10:00
410-120972-8	LTB01-230330	Water	03/30/23 00:00	03/31/23 10:00

Euro

2425 N

Lancas

Phone:



410-120972 Chain of Custody

eurofins

Environmental Testing  
America

Chain of Custody Record																																																																																																																																											
Client		Sampler <i>Carter Beatt</i>		Lab PM Hobart, Paul		Carrier Tracking No(s)		COC No 410-48137-13434.1																																																																																																																																			
Client Contact Jonathan Dippert, <i>Kirk Moline</i>		Phone (518)786-7400		E-Mail Paul Hobart@Eurofinset.com		State of Origin: <i>NY</i>		Page Page 1 of 2 <i>19/08/2023</i>																																																																																																																																			
Company CT Male Associates DPC		PWSID:		Analysis Requested																																																																																																																																							
Address 50 Century Hill Dr		Due Date Requested:																																																																																																																																									
City Latham		TAT Requested (days): <i>Standard</i>																																																																																																																																									
State, Zip: NY, 12110		Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																																																																																																																									
Phone (518)786-7400		PO #:																																																																																																																																									
Email j.dippert@ctmale.com, <i>K.Moline@ctmale.com</i>		Purchase Order not required																																																																																																																																									
Project Name: Hoosick Falls WTP		WO #:																																																																																																																																									
Site <i>SGPP-McGaffey</i>		SSOW#:																																																																																																																																									
Sample Identification																																																																																																																																											
		Sample Date <i>3/30/2023</i>	Sample Time <i>9:20</i>	Sample Type (C=Comp, G=grab) <i>G</i>	Matrix (W=water, S=solid, O=semi-solid, T=tissue, A=air) <i>Water</i>	Filtrated Sample (Yes or No) <i>No</i>	PFC-IDA-(IMOD) 7 PFAS Compounds <i>X</i>	637_DW - 14 PFAS Drinking Water List <i>X</i>	637_DW - 14 PFAS Drinking Water List <i>X</i>																																																																																																																																		
<table border="1"> <thead> <tr> <th colspan="2">Special Instructions/Note:</th> <th colspan="8">Batch #/qc collected here <i>Batch #/qc collected here</i></th> </tr> </thead> <tbody> <tr><td colspan="2"><i>GAC INFLUENT</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>GAC MID FLUENT</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>GAC EFFLUENT</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>PV-01-25</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>PV-01-50</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>PV-01-75</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>FTB01-230330</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"><i>LTB01-230330</i></td><td colspan="8"><i>4</i></td></tr> <tr><td colspan="2"></td><td colspan="8"></td></tr> <tr><td colspan="2"></td><td colspan="8"></td></tr> <tr><td colspan="2"></td><td colspan="8"></td></tr> <tr><td colspan="2"></td><td colspan="8"></td></tr> </tbody> </table>										Special Instructions/Note:		Batch #/qc collected here <i>Batch #/qc collected here</i>								<i>GAC INFLUENT</i>		<i>4</i>								<i>GAC MID FLUENT</i>		<i>4</i>								<i>GAC EFFLUENT</i>		<i>4</i>								<i>PV-01-25</i>		<i>4</i>								<i>PV-01-50</i>		<i>4</i>								<i>PV-01-75</i>		<i>4</i>								<i>FTB01-230330</i>		<i>4</i>								<i>LTB01-230330</i>		<i>4</i>																																															
Special Instructions/Note:		Batch #/qc collected here <i>Batch #/qc collected here</i>																																																																																																																																									
<i>GAC INFLUENT</i>		<i>4</i>																																																																																																																																									
<i>GAC MID FLUENT</i>		<i>4</i>																																																																																																																																									
<i>GAC EFFLUENT</i>		<i>4</i>																																																																																																																																									
<i>PV-01-25</i>		<i>4</i>																																																																																																																																									
<i>PV-01-50</i>		<i>4</i>																																																																																																																																									
<i>PV-01-75</i>		<i>4</i>																																																																																																																																									
<i>FTB01-230330</i>		<i>4</i>																																																																																																																																									
<i>LTB01-230330</i>		<i>4</i>																																																																																																																																									
<table border="1"> <thead> <tr> <th colspan="10">Possible Hazard Identification</th> <th colspan="10">Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</th> </tr> <tr> <th><input type="checkbox"/> Non-Hazard</th> <th><input type="checkbox"/> Flammable</th> <th><input type="checkbox"/> Skin Irritant</th> <th><input type="checkbox"/> Poison B</th> <th><input type="checkbox"/> Unknown</th> <th><input type="checkbox"/> Radiological</th> <th><input type="checkbox"/> Return To Client</th> <th><input type="checkbox"/> Disposal By Lab</th> <th><input type="checkbox"/> Archive For</th> <th colspan="1">Months</th> <th><input type="checkbox"/></th> </tr> </thead> <tbody> <tr> <td colspan="10">Deliverable Requested: I, II, III, IV, Other (specify) <i>EQUIS 1 FILE ASP-B</i></td> <td colspan="10">Special Instructions/QC Requirements:</td> </tr> </tbody> </table>										Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)										<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For	Months	<input type="checkbox"/>	Deliverable Requested: I, II, III, IV, Other (specify) <i>EQUIS 1 FILE ASP-B</i>										Special Instructions/QC Requirements:																																																																																								
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																																																																																																																																	
<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For	Months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																										
Deliverable Requested: I, II, III, IV, Other (specify) <i>EQUIS 1 FILE ASP-B</i>										Special Instructions/QC Requirements:																																																																																																																																	
Empty Kit Relinquished by: <i>Carter Beatt</i>		Date: <i>3/30/2023</i>		Time: <i>10:04</i>		Method of Shipment:																																																																																																																																					
Relinquished by <i>Carter Beatt</i>		Date/Time <i>3/30/2023 16:20</i>		Company <i>CTM</i>		Received by <i>Z</i>		Date/Time <i>3/31/23 10:00 hrs</i>																																																																																																																																			
Relinquished by <i>Carter Beatt</i>		Date/Time <i>3/30/2023 16:20</i>		Company <i>CTM</i>		Received by <i>Z</i>		Date/Time <i>3/31/23 10:00 hrs</i>																																																																																																																																			
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: <i>24</i>		Cooler Temperature(s) °C and Other Remarks: <i>24</i>																																																																																																																																							

Ver 06/08/2021

## Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-120972-1

**Login Number: 120972**

**List Source: Eurofins Lancaster Laboratories Environment Testing, LLC**

**List Number: 1**

**Creator: McBeth, Jessica**

Question	Answer	Comment	
The cooler's custody seal is intact.	True		1
The cooler or samples do not appear to have been compromised or tampered with.	True		2
Samples were received on ice.	True		3
Cooler Temperature is acceptable (</=6C, not frozen).	True		4
Cooler Temperature is recorded.	True		5
WV: Container Temperature is acceptable (</=6C, not frozen).	N/A		6
WV: Container Temperature is recorded.	N/A		7
COC is present.	True		8
COC is filled out in ink and legible.	True		9
COC is filled out with all pertinent information.	True		10
There are no discrepancies between the containers received and the COC.	True		11
Sample containers have legible labels.	True		12
Containers are not broken or leaking.	True		13
Sample collection date/times are provided.	True		14
Appropriate sample containers are used.	True		15
Sample bottles are completely filled.	True		16
There is sufficient vol. for all requested analyses.	True		
Is the Field Sampler's name present on COC?	True		
Sample custody seals are intact.	True		
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A		