

ANALYTICAL REPORT

PREPARED FOR

Attn: Jonathan Dippert
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 8/7/2024 8:19:23 AM

JOB DESCRIPTION

Hoosick Falls WTP
HOO

JOB NUMBER

410-180574-1


Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
8/7/2024 8:19:23 AM

Authorized for release by
Kelly Gallagher, Project Manager
kelly.gallagher@et.eurofinsus.com
(717)205-7820

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.




Table of Contents

Cover Page	1	3
Table of Contents	4	4
Definitions/Glossary	5	5
Case Narrative	6	6
Detection Summary	7	6
Client Sample Results	8	7
Surrogate Summary	16	8
Isotope Dilution Summary	17	9
QC Sample Results	18	9
QC Association Summary	21	10
Lab Chronicle	23	11
Certification Summary	25	12
Method Summary	26	12
Sample Summary	27	13
Chain of Custody	28	14
Receipt Checklists	29	15
		16

Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Qualifiers

LCMS

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project: Hoosick Falls WTP

Job ID: 410-180574-1

Job ID: 410-180574-1

Eurofins Lancaster Laboratories Environment

Job Narrative 410-180574-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 7/19/2024 9:05 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.4°C.

PFAS

Method 537.1_DW: The following sample was found to contain residual chlorine: GAC INFLUENT (410-180574-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
 SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-180574-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.8		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoroctanesulfonamide	4.1		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	3.0		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoroheptanoic acid	7.4	cn	1.7	ng/L	1		EPA 537.1	Total/NA
Perfluorohexanoic acid	7.8	cn	1.7	ng/L	1		EPA 537.1	Total/NA
Perfluoroctanesulfonic acid	3.5	cn	1.7	ng/L	1		EPA 537.1	Total/NA
Perfluoroctanoic acid - DL	410	cn	17	ng/L	10		EPA 537.1	Total/NA

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-180574-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.7		1.8	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-180574-3

No Detections.

Client Sample ID: PV-1_25

Lab Sample ID: 410-180574-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	4.3		1.8	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-1_50

Lab Sample ID: 410-180574-5

No Detections.

Client Sample ID: PV-1_75

Lab Sample ID: 410-180574-6

No Detections.

Client Sample ID: SG1-FTB01-240718

Lab Sample ID: 410-180574-7

No Detections.

Client Sample ID: SG1-LTB01-240718

Lab Sample ID: 410-180574-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Date Collected: 07/18/24 09:50
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-1

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Perfluorobutanoic acid	3.8		1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Perfluorooctanesulfonamide	4.1		1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Perfluoropentanoic acid	3.0		1.7	ng/L	07/25/24 16:25	08/01/24 04:05		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	74		40 - 200			07/25/24 16:25	08/01/24 04:05	1
M2-8:2 FTS	82		37 - 200			07/25/24 16:25	08/01/24 04:05	1
13C4 PFBA	76		22 - 174			07/25/24 16:25	08/01/24 04:05	1
13C5 PFPeA	81		33 - 196			07/25/24 16:25	08/01/24 04:05	1
13C8 PFOS	76		59 - 155			07/25/24 16:25	08/01/24 04:05	1
13C8 FOSA	66		10 - 155			07/25/24 16:25	08/01/24 04:05	1
13C3 PFHxS	87		48 - 169			07/25/24 16:25	08/01/24 04:05	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
NMeFOSAA	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorobutanesulfonic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorodecanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorododecanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluoroheptanoic acid	7.4 cn		1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorohexanesulfonic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorohexanoic acid	7.8 cn		1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorononanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorooctanesulfonic acid	3.5 cn		1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorotetradecanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluorotridecanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Perfluoroundecanoic acid	1.7	U cn	1.7	ng/L	07/22/24 14:15	07/25/24 02:23		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	85	cn	70 - 130			07/22/24 14:15	07/25/24 02:23	1
13C2 PFHxA	85	cn	70 - 130			07/22/24 14:15	07/25/24 02:23	1
d5-NEtFOSAA	80	cn	70 - 130			07/22/24 14:15	07/25/24 02:23	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	410	cn	17	ng/L	07/22/24 14:15	07/25/24 22:12		10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	106	cn	70 - 130			07/22/24 14:15	07/25/24 22:12	10
13C2 PFHxA	105	cn	70 - 130			07/22/24 14:15	07/25/24 22:12	10
d5-NEtFOSAA	92	cn	70 - 130			07/22/24 14:15	07/25/24 22:12	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: GAC MIDFLUENT

Date Collected: 07/18/24 09:55
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-2

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Perfluorobutanoic acid	5.7		1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:19		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	81		40 - 200			07/25/24 16:25	08/01/24 04:19	1
M2-8:2 FTS	88		37 - 200			07/25/24 16:25	08/01/24 04:19	1
13C4 PFBA	80		22 - 174			07/25/24 16:25	08/01/24 04:19	1
13C5 PFPeA	82		33 - 196			07/25/24 16:25	08/01/24 04:19	1
13C8 PFOS	77		59 - 155			07/25/24 16:25	08/01/24 04:19	1
13C8 FOSA	73		10 - 155			07/25/24 16:25	08/01/24 04:19	1
13C3 PFHxS	83		48 - 169			07/25/24 16:25	08/01/24 04:19	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
NMeFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorohexanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluoroctanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluoroctanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:34		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	80		70 - 130			07/22/24 14:15	07/25/24 02:34	1
13C2 PFHxA	81		70 - 130			07/22/24 14:15	07/25/24 02:34	1
d5-NEtFOSAA	81		70 - 130			07/22/24 14:15	07/25/24 02:34	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: GAC EFFLUENT

Date Collected: 07/18/24 10:00
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-3

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Perfluorobutanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:32		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	86		40 - 200			07/25/24 16:25	08/01/24 04:32	1
M2-8:2 FTS	93		37 - 200			07/25/24 16:25	08/01/24 04:32	1
13C4 PFBA	82		22 - 174			07/25/24 16:25	08/01/24 04:32	1
13C5 PFPeA	84		33 - 196			07/25/24 16:25	08/01/24 04:32	1
13C8 PFOS	83		59 - 155			07/25/24 16:25	08/01/24 04:32	1
13C8 FOSA	78		10 - 155			07/25/24 16:25	08/01/24 04:32	1
13C3 PFHxS	87		48 - 169			07/25/24 16:25	08/01/24 04:32	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
NMeFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorohexanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluooctanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluooctanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:46		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	82		70 - 130			07/22/24 14:15	07/25/24 02:46	1
13C2 PFHxA	85		70 - 130			07/22/24 14:15	07/25/24 02:46	1
d5-NEtFOSAA	87		70 - 130			07/22/24 14:15	07/25/24 02:46	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1

SDG: HOO

Client Sample ID: PV-1_25

Date Collected: 07/18/24 10:05

Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-4

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Perfluorobutanoic acid	4.3		1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 04:46		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	80		40 - 200			07/25/24 16:25	08/01/24 04:46	1
M2-8:2 FTS	90		37 - 200			07/25/24 16:25	08/01/24 04:46	1
13C4 PFBA	78		22 - 174			07/25/24 16:25	08/01/24 04:46	1
13C5 PFPeA	77		33 - 196			07/25/24 16:25	08/01/24 04:46	1
13C8 PFOS	78		59 - 155			07/25/24 16:25	08/01/24 04:46	1
13C8 FOSA	76		10 - 155			07/25/24 16:25	08/01/24 04:46	1
13C3 PFHxS	84		48 - 169			07/25/24 16:25	08/01/24 04:46	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
NMeFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorohexanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluoroctanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluoroctanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 02:58		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	80		70 - 130			07/22/24 14:15	07/25/24 02:58	1
13C2 PFHxA	80		70 - 130			07/22/24 14:15	07/25/24 02:58	1
d5-NEtFOSAA	83		70 - 130			07/22/24 14:15	07/25/24 02:58	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1

SDG: HOO

Client Sample ID: PV-1_50

Date Collected: 07/18/24 10:10

Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-5

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Perfluorobutanoic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:13		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	97		40 - 200			07/25/24 16:25	08/01/24 05:13	1
M2-8:2 FTS	109		37 - 200			07/25/24 16:25	08/01/24 05:13	1
13C4 PFBA	104		22 - 174			07/25/24 16:25	08/01/24 05:13	1
13C5 PFPeA	103		33 - 196			07/25/24 16:25	08/01/24 05:13	1
13C8 PFOS	99		59 - 155			07/25/24 16:25	08/01/24 05:13	1
13C8 FOSA	98		10 - 155			07/25/24 16:25	08/01/24 05:13	1
13C3 PFHxS	102		48 - 169			07/25/24 16:25	08/01/24 05:13	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
NMeFOSAA	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorohexanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluooctanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluooctanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:09		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	83		70 - 130			07/22/24 14:15	07/25/24 03:09	1
13C2 PFHxA	79		70 - 130			07/22/24 14:15	07/25/24 03:09	1
d5-NEtFOSAA	83		70 - 130			07/22/24 14:15	07/25/24 03:09	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1

SDG: HOO

Client Sample ID: PV-1_75

Lab Sample ID: 410-180574-6

Matrix: Water

Date Collected: 07/18/24 10:15

Date Received: 07/19/24 09:05

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Perfluorobutanoic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Perfluoroctanesulfonamide	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Perfluoropentanoic acid	1.7	U	1.7	ng/L	07/25/24 16:25	08/01/24 05:26		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	81		40 - 200			07/25/24 16:25	08/01/24 05:26	1
M2-8:2 FTS	89		37 - 200			07/25/24 16:25	08/01/24 05:26	1
13C4 PFBA	82		22 - 174			07/25/24 16:25	08/01/24 05:26	1
13C5 PFPeA	81		33 - 196			07/25/24 16:25	08/01/24 05:26	1
13C8 PFOS	81		59 - 155			07/25/24 16:25	08/01/24 05:26	1
13C8 FOSA	81		10 - 155			07/25/24 16:25	08/01/24 05:26	1
13C3 PFHxS	83		48 - 169			07/25/24 16:25	08/01/24 05:26	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
NMeFOSAA	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorodecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorododecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorohexanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorononanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluooctanesulfonic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluooctanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L	07/22/24 14:15	07/25/24 03:21		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	76		70 - 130			07/22/24 14:15	07/25/24 03:21	1
13C2 PFHxA	87		70 - 130			07/22/24 14:15	07/25/24 03:21	1
d5-NEtFOSAA	85		70 - 130			07/22/24 14:15	07/25/24 03:21	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: SG1-FTB01-240718

Lab Sample ID: 410-180574-7

Date Collected: 07/18/24 10:20
Date Received: 07/19/24 09:05

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Perfluorobutanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Perfluoroctanesulfonamide	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Perfluoropentanoic acid	1.8	U	1.8	ng/L	07/25/24 16:25	08/01/24 05:40		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	87		40 - 200			07/25/24 16:25	08/01/24 05:40	1
M2-8:2 FTS	96		37 - 200			07/25/24 16:25	08/01/24 05:40	1
13C4 PFBA	82		22 - 174			07/25/24 16:25	08/01/24 05:40	1
13C5 PFPeA	91		33 - 196			07/25/24 16:25	08/01/24 05:40	1
13C8 PFOS	89		59 - 155			07/25/24 16:25	08/01/24 05:40	1
13C8 FOSA	82		10 - 155			07/25/24 16:25	08/01/24 05:40	1
13C3 PFHxS	88		48 - 169			07/25/24 16:25	08/01/24 05:40	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
NMeFOSAA	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorodecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorododecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorohexanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorononanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluooctanesulfonic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluooctanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L	07/22/24 14:15	07/25/24 03:32		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	80		70 - 130			07/22/24 14:15	07/25/24 03:32	1
13C2 PFHxA	78		70 - 130			07/22/24 14:15	07/25/24 03:32	1
d5-NEtFOSAA	84		70 - 130			07/22/24 14:15	07/25/24 03:32	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: SG1-LTB01-240718

Lab Sample ID: 410-180574-8

Date Collected: 07/18/24 00:00
Date Received: 07/19/24 09:05

Matrix: Water

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Perfluorobutanoic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Perfluoroctanesulfonamide	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Perfluoropentanoic acid	1.9	U	1.9	ng/L	07/25/24 16:25	08/01/24 05:54		1
Isotope Dilution	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
M2-6:2 FTS	96		40 - 200			07/25/24 16:25	08/01/24 05:54	1
M2-8:2 FTS	99		37 - 200			07/25/24 16:25	08/01/24 05:54	1
13C4 PFBA	79		22 - 174			07/25/24 16:25	08/01/24 05:54	1
13C5 PFPeA	91		33 - 196			07/25/24 16:25	08/01/24 05:54	1
13C8 PFOS	91		59 - 155			07/25/24 16:25	08/01/24 05:54	1
13C8 FOSA	85		10 - 155			07/25/24 16:25	08/01/24 05:54	1
13C3 PFHxS	94		48 - 169			07/25/24 16:25	08/01/24 05:54	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
NMeFOSAA	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorodecanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorododecanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluoroheptanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorohexanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorononanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluooctanesulfonic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluooctanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L	07/22/24 14:15	07/25/24 03:44		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
13C2 PFDA	91		70 - 130			07/22/24 14:15	07/25/24 03:44	1
13C2 PFHxA	91		70 - 130			07/22/24 14:15	07/25/24 03:44	1
d5-NEtFOSAA	88		70 - 130			07/22/24 14:15	07/25/24 03:44	1

Surrogate Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
 SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		PFDA (70-130)	PFHxA (70-130)	d5NEFOS (70-130)
410-180574-1	GAC INFLUENT	85 cn	85 cn	80 cn
410-180574-1 - DL	GAC INFLUENT	106 cn	105 cn	92 cn
410-180574-2	GAC MIDFLUENT	80	81	81
410-180574-3	GAC EFFLUENT	82	85	87
410-180574-4	PV-1_25	80	80	83
410-180574-5	PV-1_50	83	79	83
410-180574-6	PV-1_75	76	87	85
410-180574-7	SG1-FTB01-240718	80	78	84
410-180574-8	SG1-LTB01-240718	91	91	88
LCS 410-531015/2-A	Lab Control Sample	82	75	81
LCSD 410-531015/3-A	Lab Control Sample Dup	89	78	83
MB 410-531015/1-A	Method Blank	82	76	86

Surrogate Legend

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

d5NEFOS = d5-NEtFOSAA

Isotope Dilution Summary

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
 SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (40-200)	M282FTS (37-200)	PFBA (22-174)	PFPeA (33-196)	C8PFOS (59-155)	PFOSA (10-155)	C3PFHS (48-169)
410-180574-1	GAC INFLUENT	74	82	76	81	76	66	87
410-180574-2	GAC MIDFLUENT	81	88	80	82	77	73	83
410-180574-3	GAC EFFLUENT	86	93	82	84	83	78	87
410-180574-4	PV-1_25	80	90	78	77	78	76	84
410-180574-5	PV-1_50	97	109	104	103	99	98	102
410-180574-6	PV-1_75	81	89	82	81	81	81	83
410-180574-7	SG1-FTB01-240718	87	96	82	91	89	82	88
410-180574-8	SG1-LTB01-240718	96	99	79	91	91	85	94
LCS 410-532527/2-A	Lab Control Sample	82	90	68	85	86	79	90
LCSD 410-532527/3-A	Lab Control Sample Dup	85	90	69	85	84	80	85
MB 410-532527/1-A	Method Blank	61	71	52	62	64	64	65

Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
 SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-532527/3-A

Matrix: Water

Analysis Batch: 534758

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 532527

Analyte		Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD	Limit
		Added	Result	Qualifier							
Perfluoroctanesulfonamide		25.6	28.2		ng/L		110	67 - 132	3	30	
Perfluoropentanoic acid		25.6	27.1		ng/L		106	60 - 130	9	30	
Isotope Dilution											
		LCSD	LCSD								
		%Recovery	Qualifier	Limits							
M2-6:2 FTS		85		40 - 200							
M2-8:2 FTS		90		37 - 200							
13C4 PFBA		69		22 - 174							
13C5 PFPeA		85		33 - 196							
13C8 PFOS		84		59 - 155							
13C8 FOSA		80		10 - 155							
13C3 PFHxS		85		48 - 169							

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Lab Sample ID: MB 410-531015/1-A

Matrix: Water

Analysis Batch: 531969

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 531015

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac			
	Result	Qualifier									
NEtFOSAA	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
NMeFOSAA	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorodecanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorododecanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorohexanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorononanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluooctanesulfonic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluooctanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		07/22/24 14:15	07/24/24 23:17	1			
Surrogate											
	MB	MB	%Recovery	Qualifier	Limits						
						Prepared	Analyzed	Dil Fac			
13C2 PFDA			82		70 - 130				07/22/24 14:15	07/24/24 23:17	1
13C2 PFHxA			76		70 - 130				07/22/24 14:15	07/24/24 23:17	1
d5-NEtFOSAA			86		70 - 130				07/22/24 14:15	07/24/24 23:17	1

Lab Sample ID: LCS 410-531015/2-A

Matrix: Water

Analysis Batch: 531969

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 531015

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	RPD	RPD	Limit
	Added	Result	Qualifier							
NETFOSAA	20.5	16.3		ng/L		80	70 - 130	3	30	
NMeFOSAA	20.5	17.8		ng/L		87	70 - 130	9	30	
Perfluorobutanesulfonic acid	18.1	13.7		ng/L		76	70 - 130	3	30	
Perfluorodecanoic acid	20.5	17.2		ng/L		84	70 - 130	9	30	
Perfluorododecanoic acid	20.5	15.6		ng/L		76	70 - 130	9	30	

QC Sample Results

Client: CT Male Associates DPC
 Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
 SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCS 410-531015/2-A

Matrix: Water

Analysis Batch: 531969

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 531015

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Perfluoroheptanoic acid	20.5	17.0		ng/L		83	70 - 130
Perfluorohexanesulfonic acid	18.7	19.2		ng/L		103	70 - 130
Perfluorohexanoic acid	20.5	15.5		ng/L		76	70 - 130
Perfluorononanoic acid	20.5	16.3		ng/L		80	70 - 130
Perfluoroctanesulfonic acid	19.0	17.6		ng/L		93	70 - 130
Perfluoroctanoic acid	20.5	16.5		ng/L		81	70 - 130
Perfluorotetradecanoic acid	20.5	15.4		ng/L		75	70 - 130
Perfluorotridecanoic acid	20.5	15.7		ng/L		77	70 - 130
Perfluoroundecanoic acid	20.5	15.7		ng/L		77	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFDA	82		70 - 130
13C2 PFHxA	75		70 - 130
d5-NEtFOSAA	81		70 - 130

Lab Sample ID: LCSD 410-531015/3-A

Matrix: Water

Analysis Batch: 531969

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 531015

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
NEtFOSAA	20.5	17.3		ng/L		84	70 - 130	6	30
NMeFOSAA	20.5	19.2		ng/L		94	70 - 130	7	30
Perfluorobutanesulfonic acid	18.1	14.1		ng/L		78	70 - 130	3	30
Perfluorodecanoic acid	20.5	17.2		ng/L		84	70 - 130	0	30
Perfluorododecanoic acid	20.5	16.1		ng/L		79	70 - 130	3	30
Perfluoroheptanoic acid	20.5	17.5		ng/L		85	70 - 130	3	30
Perfluorohexanesulfonic acid	18.7	18.3		ng/L		98	70 - 130	5	30
Perfluorohexanoic acid	20.5	16.1		ng/L		79	70 - 130	4	30
Perfluorononanoic acid	20.5	17.0		ng/L		83	70 - 130	4	30
Perfluoroctanesulfonic acid	19.0	17.4		ng/L		92	70 - 130	1	30
Perfluoroctanoic acid	20.5	17.8		ng/L		87	70 - 130	7	30
Perfluorotetradecanoic acid	20.5	16.1		ng/L		79	70 - 130	5	30
Perfluorotridecanoic acid	20.5	16.5		ng/L		81	70 - 130	5	30
Perfluoroundecanoic acid	20.5	16.3		ng/L		80	70 - 130	4	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
13C2 PFDA	89		70 - 130
13C2 PFHxA	78		70 - 130
d5-NEtFOSAA	83		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

LCMS

Prep Batch: 531015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-1	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-180574-1 - DL	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-180574-2	GAC MIDFLUENT	Total/NA	Water	537.1 DW Prep	
410-180574-3	GAC EFFLUENT	Total/NA	Water	537.1 DW Prep	
410-180574-4	PV-1_25	Total/NA	Water	537.1 DW Prep	
410-180574-5	PV-1_50	Total/NA	Water	537.1 DW Prep	
410-180574-6	PV-1_75	Total/NA	Water	537.1 DW Prep	
410-180574-7	SG1-FTB01-240718	Total/NA	Water	537.1 DW Prep	
410-180574-8	SG1-LTB01-240718	Total/NA	Water	537.1 DW Prep	
MB 410-531015/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-531015/2-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	
LCSD 410-531015/3-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW Prep	

Analysis Batch: 531969

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-1	GAC INFLUENT	Total/NA	Water	EPA 537.1	531015
410-180574-2	GAC MIDFLUENT	Total/NA	Water	EPA 537.1	531015
410-180574-3	GAC EFFLUENT	Total/NA	Water	EPA 537.1	531015
410-180574-4	PV-1_25	Total/NA	Water	EPA 537.1	531015
410-180574-5	PV-1_50	Total/NA	Water	EPA 537.1	531015
410-180574-6	PV-1_75	Total/NA	Water	EPA 537.1	531015
410-180574-7	SG1-FTB01-240718	Total/NA	Water	EPA 537.1	531015
410-180574-8	SG1-LTB01-240718	Total/NA	Water	EPA 537.1	531015
MB 410-531015/1-A	Method Blank	Total/NA	Water	EPA 537.1	531015
LCS 410-531015/2-A	Lab Control Sample	Total/NA	Water	EPA 537.1	531015
LCSD 410-531015/3-A	Lab Control Sample Dup	Total/NA	Water	EPA 537.1	531015

Prep Batch: 532527

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-1	GAC INFLUENT	Total/NA	Water	SPE	
410-180574-2	GAC MIDFLUENT	Total/NA	Water	SPE	
410-180574-3	GAC EFFLUENT	Total/NA	Water	SPE	
410-180574-4	PV-1_25	Total/NA	Water	SPE	
410-180574-5	PV-1_50	Total/NA	Water	SPE	
410-180574-6	PV-1_75	Total/NA	Water	SPE	
410-180574-7	SG1-FTB01-240718	Total/NA	Water	SPE	
410-180574-8	SG1-LTB01-240718	Total/NA	Water	SPE	
MB 410-532527/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-532527/2-A	Lab Control Sample	Total/NA	Water	SPE	
LCSD 410-532527/3-A	Lab Control Sample Dup	Total/NA	Water	SPE	

Analysis Batch: 532590

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-1 - DL	GAC INFLUENT	Total/NA	Water	EPA 537.1	531015

Analysis Batch: 534758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	532527
410-180574-2	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	532527
410-180574-3	GAC EFFLUENT	Total/NA	Water	537 (Mod)	532527
410-180574-4	PV-1_25	Total/NA	Water	537 (Mod)	532527

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

LCMS (Continued)

Analysis Batch: 534758 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-180574-5	PV-1_50	Total/NA	Water	537 (Mod)	532527
410-180574-6	PV-1_75	Total/NA	Water	537 (Mod)	532527
410-180574-7	SG1-FTB01-240718	Total/NA	Water	537 (Mod)	532527
410-180574-8	SG1-LTB01-240718	Total/NA	Water	537 (Mod)	532527
MB 410-532527/1-A	Method Blank	Total/NA	Water	537 (Mod)	532527
LCS 410-532527/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	532527
LCSD 410-532527/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	532527

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Date Collected: 07/18/24 09:50
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 04:05
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 02:23
Total/NA	Prep	537.1 DW Prep	DL		531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1	DL	10	532590	QD9Y	ELLE	07/25/24 22:12

Client Sample ID: GAC MIDFLUENT

Date Collected: 07/18/24 09:55
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 04:19
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 02:34

Client Sample ID: GAC EFFLUENT

Date Collected: 07/18/24 10:00
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 04:32
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 02:46

Client Sample ID: PV-1_25

Date Collected: 07/18/24 10:05
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 04:46
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 02:58

Client Sample ID: PV-1_50

Date Collected: 07/18/24 10:10
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 05:13
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 03:09

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Client Sample ID: PV-1_75
Date Collected: 07/18/24 10:15
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 05:26
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 03:21

Client Sample ID: SG1-FTB01-240718
Date Collected: 07/18/24 10:20
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 05:40
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 03:32

Client Sample ID: SG1-LTB01-240718
Date Collected: 07/18/24 00:00
Date Received: 07/19/24 09:05

Lab Sample ID: 410-180574-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			532527	V3FW	ELLE	07/25/24 16:25
Total/NA	Analysis	537 (Mod)		1	534758	FDE4	ELLE	08/01/24 05:54
Total/NA	Prep	537.1 DW Prep			531015	XBL5	ELLE	07/22/24 14:15
Total/NA	Analysis	EPA 537.1		1	531969	WR4P	ELLE	07/25/24 03:44

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1

SDG: HOO

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
EPA 537.1	EPA 537.1, Ver 1.0 Nov 2018	EPA	ELLE
537.1 DW Prep	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE
SPE	PFAS by SPE	Lab SOP	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Lab SOP = Laboratory Standard Operating Procedure

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15


16

Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-180574-1
SDG: HOO

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-180574-1	GAC INFLUENT	Water	07/18/24 09:50	07/19/24 09:05
410-180574-2	GAC MIDFLUENT	Water	07/18/24 09:55	07/19/24 09:05
410-180574-3	GAC EFFLUENT	Water	07/18/24 10:00	07/19/24 09:05
410-180574-4	PV-1_25	Water	07/18/24 10:05	07/19/24 09:05
410-180574-5	PV-1_50	Water	07/18/24 10:10	07/19/24 09:05
410-180574-6	PV-1_75	Water	07/18/24 10:15	07/19/24 09:05
410-180574-7	SG1-FTB01-240718	Water	07/18/24 10:20	07/19/24 09:05
410-180574-8	SG1-LTB01-240718	Water	07/18/24 00:00	07/19/24 09:05



LC

Chain of Custody Record

eurofins
Environment Testing America

410-180574 Chain of Custody

		Sampler: C. Ormsby		Lab PM: Kelly Gallagher		Carrier Tracking No(s):		COC No:			
Client Contact: Jonathan Dippert		Phone: 518-788-7400		E-Mail: Kelly.Gallagher@et.eurofinsus.com		State of Origin: NY		Page: 1 of 1			
Company: C.T. Male Associates		PWSID:						Job #:			
Address: 50 Century Hill Dr		Due Date Requested:						Preservation Codes:			
City: Latham		TAT Requested (days): Standard						A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ica J - DI Water K - EDTA L - EDA Other: Y- Trizma	M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-6 Z - other (specify)		
State, Zip: NY, 12110		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No									
Phone: 518-788-7400		PO #: 14.4756									
Email: J.Dippert@ctmale.com , N.Garry@ctmale.com		WO #:									
Project Name: Hoosick Falls WTP		Project #: 41000511									
Site: 14.4756		SSOW#:									
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	INTSL TA (W=water, S=solid, O=soil, BT=tissue, A=air)	Field Filtered Sample (Yes or No)	PFAS IDA - (MOD) 7 PFAS Compounds	637_DW - 14 PFAS Drinking Water List	Total Number of containers	Special Instructions/Note:	
GAC INFLUENT	7/18/24	0950	G	W	N	N	X	X	8	PFAS Batch QC Collected Here	
GAC MIDFLUENT	7/18/24	0955	G	W	N	N	X	X	4		
GAC EFFULENT	7/18/24	1000	G	W	N	N	X	X	4		
PV-1_25	7/18/24	1005	G	W	N	N	X	X	4		
PV-1_50	7/18/24	1010	G	W	N	N	X	X	4		
PV-1_75	7/18/24	1015	G	W	N	N	X	X	4		
SG1-FTB01-240718	7/18/24	1020	G	W	N	N	X	X	4		
SG1-LTB01-240718	7/18/24	-	G	W	N	N	X	X	4		
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological										<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Deliverable Requested: I, II, III, IV, Other (specify) EQuIS 1-File: ASP-B										Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:					
Relinquished by:		Date/Time: 7/18/24 1430		Company CTM		Received by:		Date/Time:			
Relinquished by:		Date/Time:		Company		Received by:		Date/Time:			
Relinquished by:		Date/Time:		Company		Received by:		Date/Time:			
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:				Cooler Temperature(s) °C and Other Remarks: R: 1.5 C: 1.4					

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-180574-1

SDG Number: HOO

Login Number: 180574

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Santiago, Nathaniel

Question	Answer	Comment	
The cooler's custody seal is intact.	True		1
The cooler or samples do not appear to have been compromised or tampered with.	True		2
Samples were received on ice.	True		3
Cooler Temperature acceptable,where thermal pres is required(</=6C, not frozen).	True		4
Cooler Temperature is recorded.	True		5
WV:Container Temp acceptable,where thermal pres is required (</=6C, not frozen).	N/A		6
WV: Container Temperature is recorded.	N/A		7
COC is present.	True		8
COC is filled out in ink and legible.	True		9
COC is filled out with all pertinent information.	True		10
There are no discrepancies between the containers received and the COC.	True		11
Sample containers have legible labels.	True		12
Containers are not broken or leaking.	True		13
Sample collection date/times are provided.	True		14
Appropriate sample containers are used.	True		15
Sample bottles are completely filled.	True		16
There is sufficient vol. for all requested analyses.	True		
Is the Field Sampler's name present on COC?	True		
Sample custody seals are intact.	True		
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A		

Sample Preservation Checks (performed by the laboratory)

Question	Answer	Comment	
Did the sample containers checked meet expected preservation conditions?	False	Refer to Job Narrative for details.	