

ANALYTICAL REPORT

PREPARED FOR

Attn: Jonathan Dippert
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 8/30/2024 12:24:18 PM

JOB DESCRIPTION

Hoosick Falls WTP
HOO

JOB NUMBER

410-184487-1

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
8/30/2024 12:24:18 PM

Authorized for release by
Kelly Gallagher, Project Manager
kelly.gallagher@et.eurofinsus.com
(717)205-7820

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Table of Contents

Cover Page	1
Table of Contents	4
Definitions/Glossary	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	16
Isotope Dilution Summary	17
QC Sample Results	18
QC Association Summary	23
Lab Chronicle	25
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31



Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Qualifiers

LCMS

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project: Hoosick Falls WTP

Job ID: 410-184487-1

Job ID: 410-184487-1

Eurofins Lancaster Laboratories Environment

Job Narrative 410-184487-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 8/16/2024 9:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C.

PFAS

Method 537.1_DW: The following sample was found to contain residual chlorine: GAC INFLUENT (410-184487-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-184487-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.7		1.6	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanesulfonamide	2.9		1.6	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.8		1.6	ng/L	1		537 (Mod)	Total/NA
Perfluoroheptanoic acid	11	cn	1.6	ng/L	1		EPA 537.1	Total/NA
Perfluorohexanoic acid	9.2	cn	1.6	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanesulfonic acid	3.2	cn	1.6	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanoic acid - DL	390	cn	16	ng/L	10		EPA 537.1	Total/NA

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-184487-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.6		1.6	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-184487-3

No Detections.

Client Sample ID: PV-1_25

Lab Sample ID: 410-184487-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.2		1.6	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-1_50

Lab Sample ID: 410-184487-5

No Detections.

Client Sample ID: PV-1_75

Lab Sample ID: 410-184487-6

No Detections.

Client Sample ID: SG1-FTB01-240814

Lab Sample ID: 410-184487-7

No Detections.

Client Sample ID: SG1-LTB01-240814

Lab Sample ID: 410-184487-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-184487-1

Date Collected: 08/14/24 09:45

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
Perfluorobutanoic acid	3.7		1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
Perfluorooctanesulfonamide	2.9		1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1
Perfluoropentanoic acid	2.8		1.6	ng/L		08/20/24 06:41	08/28/24 22:13	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	70		40 - 200	08/20/24 06:41	08/28/24 22:13	1
M2-8:2 FTS	82		37 - 200	08/20/24 06:41	08/28/24 22:13	1
13C4 PFBA	79		22 - 174	08/20/24 06:41	08/28/24 22:13	1
13C5 PFPeA	78		33 - 196	08/20/24 06:41	08/28/24 22:13	1
13C8 PFOS	84		59 - 155	08/20/24 06:41	08/28/24 22:13	1
13C8 FOSA	65		10 - 155	08/20/24 06:41	08/28/24 22:13	1
13C3 PFHxS	88		48 - 169	08/20/24 06:41	08/28/24 22:13	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
NMeFOSAA	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorobutanesulfonic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorodecanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorododecanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluoroheptanoic acid	11	cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorohexanesulfonic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorohexanoic acid	9.2	cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorononanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorooctanesulfonic acid	3.2	cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorotetradecanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluorotridecanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1
Perfluoroundecanoic acid	1.6	U cn	1.6	ng/L		08/27/24 17:09	08/29/24 06:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	128	cn	70 - 130	08/27/24 17:09	08/29/24 06:30	1
13C2 PFHxA	116	cn	70 - 130	08/27/24 17:09	08/29/24 06:30	1
d5-NEtFOSAA	104	cn	70 - 130	08/27/24 17:09	08/29/24 06:30	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	390	cn	16	ng/L		08/27/24 17:09	08/30/24 00:03	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	110	cn	70 - 130	08/27/24 17:09	08/30/24 00:03	10
13C2 PFHxA	109	cn	70 - 130	08/27/24 17:09	08/30/24 00:03	10
d5-NEtFOSAA	114	cn	70 - 130	08/27/24 17:09	08/30/24 00:03	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-184487-2

Date Collected: 08/14/24 09:52

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
Perfluorobutanoic acid	5.6		1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:28	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	73		40 - 200	08/20/24 06:41	08/28/24 22:28	1
M2-8:2 FTS	78		37 - 200	08/20/24 06:41	08/28/24 22:28	1
13C4 PFBA	77		22 - 174	08/20/24 06:41	08/28/24 22:28	1
13C5 PFPeA	74		33 - 196	08/20/24 06:41	08/28/24 22:28	1
13C8 PFOS	78		59 - 155	08/20/24 06:41	08/28/24 22:28	1
13C8 FOSA	64		10 - 155	08/20/24 06:41	08/28/24 22:28	1
13C3 PFHxS	85		48 - 169	08/20/24 06:41	08/28/24 22:28	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
NMeFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 06:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	104		70 - 130	08/27/24 17:09	08/29/24 06:42	1
13C2 PFHxA	98		70 - 130	08/27/24 17:09	08/29/24 06:42	1
d5-NEtFOSAA	95		70 - 130	08/27/24 17:09	08/29/24 06:42	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-184487-3

Date Collected: 08/14/24 09:57

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
Perfluorobutanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:43	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	76		40 - 200	08/20/24 06:41	08/28/24 22:43	1
M2-8:2 FTS	78		37 - 200	08/20/24 06:41	08/28/24 22:43	1
13C4 PFBA	82		22 - 174	08/20/24 06:41	08/28/24 22:43	1
13C5 PFPeA	79		33 - 196	08/20/24 06:41	08/28/24 22:43	1
13C8 PFOS	88		59 - 155	08/20/24 06:41	08/28/24 22:43	1
13C8 FOSA	70		10 - 155	08/20/24 06:41	08/28/24 22:43	1
13C3 PFHxS	89		48 - 169	08/20/24 06:41	08/28/24 22:43	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
NMeFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	101		70 - 130	08/27/24 17:09	08/29/24 07:05	1
13C2 PFHxA	96		70 - 130	08/27/24 17:09	08/29/24 07:05	1
d5-NEtFOSAA	100		70 - 130	08/27/24 17:09	08/29/24 07:05	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: PV-1_25

Lab Sample ID: 410-184487-4

Date Collected: 08/14/24 10:03

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
Perfluorobutanoic acid	5.2		1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 22:58	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	80		40 - 200	08/20/24 06:41	08/28/24 22:58	1
M2-8:2 FTS	87		37 - 200	08/20/24 06:41	08/28/24 22:58	1
13C4 PFBA	83		22 - 174	08/20/24 06:41	08/28/24 22:58	1
13C5 PFPeA	81		33 - 196	08/20/24 06:41	08/28/24 22:58	1
13C8 PFOS	88		59 - 155	08/20/24 06:41	08/28/24 22:58	1
13C8 FOSA	72		10 - 155	08/20/24 06:41	08/28/24 22:58	1
13C3 PFHxS	86		48 - 169	08/20/24 06:41	08/28/24 22:58	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
NMeFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	104		70 - 130	08/27/24 17:09	08/29/24 07:16	1
13C2 PFHxA	100		70 - 130	08/27/24 17:09	08/29/24 07:16	1
d5-NEtFOSAA	94		70 - 130	08/27/24 17:09	08/29/24 07:16	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: PV-1_50

Lab Sample ID: 410-184487-5

Date Collected: 08/14/24 10:09

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
Perfluorobutanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:28	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	70		40 - 200	08/20/24 06:41	08/28/24 23:28	1
M2-8:2 FTS	77		37 - 200	08/20/24 06:41	08/28/24 23:28	1
13C4 PFBA	71		22 - 174	08/20/24 06:41	08/28/24 23:28	1
13C5 PFPeA	69		33 - 196	08/20/24 06:41	08/28/24 23:28	1
13C8 PFOS	80		59 - 155	08/20/24 06:41	08/28/24 23:28	1
13C8 FOSA	62		10 - 155	08/20/24 06:41	08/28/24 23:28	1
13C3 PFHxS	81		48 - 169	08/20/24 06:41	08/28/24 23:28	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
NMeFOSAA	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/27/24 17:09	08/29/24 07:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	100		70 - 130	08/27/24 17:09	08/29/24 07:28	1
13C2 PFHxA	95		70 - 130	08/27/24 17:09	08/29/24 07:28	1
d5-NEtFOSAA	92		70 - 130	08/27/24 17:09	08/29/24 07:28	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: PV-1_75

Lab Sample ID: 410-184487-6

Date Collected: 08/14/24 10:15

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
Perfluorobutanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:43	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	74		40 - 200	08/20/24 06:41	08/28/24 23:43	1
M2-8:2 FTS	83		37 - 200	08/20/24 06:41	08/28/24 23:43	1
13C4 PFBA	82		22 - 174	08/20/24 06:41	08/28/24 23:43	1
13C5 PFPeA	77		33 - 196	08/20/24 06:41	08/28/24 23:43	1
13C8 PFOS	85		59 - 155	08/20/24 06:41	08/28/24 23:43	1
13C8 FOSA	74		10 - 155	08/20/24 06:41	08/28/24 23:43	1
13C3 PFHxS	85		48 - 169	08/20/24 06:41	08/28/24 23:43	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
NMeFOSAA	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	98		70 - 130	08/22/24 08:51	08/27/24 18:11	1
13C2 PFHxA	88		70 - 130	08/22/24 08:51	08/27/24 18:11	1
d5-NEtFOSAA	91		70 - 130	08/22/24 08:51	08/27/24 18:11	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: SG1-FTB01-240814

Lab Sample ID: 410-184487-7

Date Collected: 08/14/24 10:20

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
8:2 Fluorotelomer sulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
Perfluorobutanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
Perfluorodecanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
Perfluoroheptanesulfonic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
Perfluorooctanesulfonamide	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1
Perfluoropentanoic acid	1.6	U	1.6	ng/L		08/20/24 06:41	08/28/24 23:58	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	68		40 - 200	08/20/24 06:41	08/28/24 23:58	1
M2-8:2 FTS	83		37 - 200	08/20/24 06:41	08/28/24 23:58	1
13C4 PFBA	49		22 - 174	08/20/24 06:41	08/28/24 23:58	1
13C5 PFPeA	68		33 - 196	08/20/24 06:41	08/28/24 23:58	1
13C8 PFOS	81		59 - 155	08/20/24 06:41	08/28/24 23:58	1
13C8 FOSA	70		10 - 155	08/20/24 06:41	08/28/24 23:58	1
13C3 PFHxS	83		48 - 169	08/20/24 06:41	08/28/24 23:58	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
NMeFOSAA	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorobutanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorodecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorododecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluoroheptanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorohexanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorohexanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorononanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorooctanesulfonic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorooctanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorotetradecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluorotridecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1
Perfluoroundecanoic acid	1.6	U	1.6	ng/L		08/22/24 08:51	08/27/24 18:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	89		70 - 130	08/22/24 08:51	08/27/24 18:22	1
13C2 PFHxA	83		70 - 130	08/22/24 08:51	08/27/24 18:22	1
d5-NEtFOSAA	90		70 - 130	08/22/24 08:51	08/27/24 18:22	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: SG1-LTB01-240814

Lab Sample ID: 410-184487-8

Date Collected: 08/14/24 00:00

Matrix: Water

Date Received: 08/16/24 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
Perfluorobutanoic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		08/20/24 06:41	08/29/24 00:13	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	77		40 - 200	08/20/24 06:41	08/29/24 00:13	1
M2-8:2 FTS	82		37 - 200	08/20/24 06:41	08/29/24 00:13	1
13C4 PFBA	77		22 - 174	08/20/24 06:41	08/29/24 00:13	1
13C5 PFPeA	77		33 - 196	08/20/24 06:41	08/29/24 00:13	1
13C8 PFOS	85		59 - 155	08/20/24 06:41	08/29/24 00:13	1
13C8 FOSA	70		10 - 155	08/20/24 06:41	08/29/24 00:13	1
13C3 PFHxS	85		48 - 169	08/20/24 06:41	08/29/24 00:13	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
NMeFOSAA	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 18:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	89		70 - 130	08/22/24 08:51	08/27/24 18:57	1
13C2 PFHxA	79		70 - 130	08/22/24 08:51	08/27/24 18:57	1
d5-NEtFOSAA	89		70 - 130	08/22/24 08:51	08/27/24 18:57	1

Surrogate Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		PFDA (70-130)	PFHxA (70-130)	d5NEFOS (70-130)
410-184487-1	GAC INFLUENT	128 cn	116 cn	104 cn
410-184487-1 - DL	GAC INFLUENT	110 cn	109 cn	114 cn
410-184487-2	GAC MIDFLUENT	104	98	95
410-184487-3	GAC EFFLUENT	101	96	100
410-184487-4	PV-1_25	104	100	94
410-184487-5	PV-1_50	100	95	92
410-184487-6	PV-1_75	98	88	91
410-184487-7	SG1-FTB01-240814	89	83	90
410-184487-8	SG1-LTB01-240814	89	79	89
LCS 410-543366/2-A	Lab Control Sample	98	86	90
LCS 410-545052/2-A	Lab Control Sample	103	96	92
LCSD 410-543366/3-A	Lab Control Sample Dup	99	79	90
LCSD 410-545052/3-A	Lab Control Sample Dup	113	98	98
MB 410-543366/1-A	Method Blank	87	82	89
MB 410-545052/1-A	Method Blank	110	100	108
Surrogate Legend				
PFDA = 13C2 PFDA				
PFHxA = 13C2 PFHxA				
d5NEFOS = d5-NEtFOSAA				

Isotope Dilution Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Isotope Dilution Recovery (Acceptance Limits)						
		M262FTS (40-200)	M282FTS (37-200)	PFBA (22-174)	PFPeA (33-196)	C8PFOS (59-155)	PFOSA (10-155)	C3PFHS (48-169)
410-184487-1	GAC INFLUENT	70	82	79	78	84	65	88
410-184487-2	GAC MIDFLUENT	73	78	77	74	78	64	85
410-184487-3	GAC EFFLUENT	76	78	82	79	88	70	89
410-184487-4	PV-1_25	80	87	83	81	88	72	86
410-184487-5	PV-1_50	70	77	71	69	80	62	81
410-184487-6	PV-1_75	74	83	82	77	85	74	85
410-184487-7	SG1-FTB01-240814	68	83	49	68	81	70	83
410-184487-8	SG1-LTB01-240814	77	82	77	77	85	70	85
LCS 410-542293/2-A	Lab Control Sample	73	82	76	79	85	73	87
LCSD 410-542293/23-A	Lab Control Sample Dup	74	88	86	84	88	74	94
MB 410-542293/1-A	Method Blank	88	99	98	92	105	85	108

Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-542293/1-A

Matrix: Water

Analysis Batch: 545898

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 542293

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
8:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
Perfluorobutanoic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		08/20/24 06:41	08/29/24 15:24	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	88		40 - 200	08/20/24 06:41	08/29/24 15:24	1
M2-8:2 FTS	99		37 - 200	08/20/24 06:41	08/29/24 15:24	1
13C4 PFBA	98		22 - 174	08/20/24 06:41	08/29/24 15:24	1
13C5 PFPeA	92		33 - 196	08/20/24 06:41	08/29/24 15:24	1
13C8 PFOS	105		59 - 155	08/20/24 06:41	08/29/24 15:24	1
13C8 FOSA	85		10 - 155	08/20/24 06:41	08/29/24 15:24	1
13C3 PFHxS	108		48 - 169	08/20/24 06:41	08/29/24 15:24	1

Lab Sample ID: LCS 410-542293/2-A

Matrix: Water

Analysis Batch: 545501

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 542293

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
6:2 Fluorotelomer sulfonic acid	24.3	21.7		ng/L		90	61 - 132
8:2 Fluorotelomer sulfonic acid	24.5	21.3		ng/L		87	55 - 134
Perfluorobutanoic acid	25.6	22.1		ng/L		86	58 - 130
Perfluorodecanesulfonic acid	24.7	21.3		ng/L		86	55 - 130
Perfluoroheptanesulfonic acid	24.4	20.6		ng/L		84	59 - 130
Perfluorooctanesulfonamide	25.6	23.5		ng/L		92	67 - 132
Perfluoropentanoic acid	25.6	21.7		ng/L		85	60 - 130

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
M2-6:2 FTS	73		40 - 200
M2-8:2 FTS	82		37 - 200
13C4 PFBA	76		22 - 174
13C5 PFPeA	79		33 - 196
13C8 PFOS	85		59 - 155
13C8 FOSA	73		10 - 155
13C3 PFHxS	87		48 - 169

Lab Sample ID: LCSD 410-542293/23-A

Matrix: Water

Analysis Batch: 545501

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 542293

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
6:2 Fluorotelomer sulfonic acid	24.3	24.0		ng/L		99	61 - 132	10	30
8:2 Fluorotelomer sulfonic acid	24.5	21.3		ng/L		87	55 - 134	0	30
Perfluorobutanoic acid	25.6	22.8		ng/L		89	58 - 130	3	30
Perfluorodecanesulfonic acid	24.7	21.9		ng/L		89	55 - 130	3	30
Perfluoroheptanesulfonic acid	24.4	20.2		ng/L		83	59 - 130	2	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-542293/23-A

Matrix: Water

Analysis Batch: 545501

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 542293

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	25.0		ng/L		98	67 - 132	6	30
Perfluoropentanoic acid	25.6	22.7		ng/L		89	60 - 130	5	30

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
M2-6:2 FTS	74		40 - 200
M2-8:2 FTS	88		37 - 200
13C4 PFBA	86		22 - 174
13C5 PFPeA	84		33 - 196
13C8 PFOS	88		59 - 155
13C8 FOSA	74		10 - 155
13C3 PFHxS	94		48 - 169

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Lab Sample ID: MB 410-543366/1-A

Matrix: Water

Analysis Batch: 544855

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 543366

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
NMeFOSAA	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		08/22/24 08:51	08/27/24 16:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	87		70 - 130	08/22/24 08:51	08/27/24 16:03	1
13C2 PFHxA	82		70 - 130	08/22/24 08:51	08/27/24 16:03	1
d5-NEtFOSAA	89		70 - 130	08/22/24 08:51	08/27/24 16:03	1

Lab Sample ID: LCS 410-543366/2-A

Matrix: Water

Analysis Batch: 544855

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 543366

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
NEtFOSAA	20.5	17.7		ng/L		86	70 - 130
NMeFOSAA	20.5	16.7		ng/L		82	70 - 130
Perfluorobutanesulfonic acid	18.1	13.4		ng/L		74	70 - 130
Perfluorodecanoic acid	20.5	17.6		ng/L		86	70 - 130
Perfluorododecanoic acid	20.5	19.0		ng/L		93	70 - 130

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCS 410-543366/2-A

Matrix: Water

Analysis Batch: 544855

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 543366

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoroheptanoic acid	20.5	18.3		ng/L		89	70 - 130
Perfluorohexanesulfonic acid	18.7	16.3		ng/L		87	70 - 130
Perfluorohexanoic acid	20.5	16.7		ng/L		82	70 - 130
Perfluorononanoic acid	20.5	18.3		ng/L		89	70 - 130
Perfluorooctanesulfonic acid	19.0	16.2		ng/L		86	70 - 130
Perfluorooctanoic acid	20.5	18.6		ng/L		91	70 - 130
Perfluorotetradecanoic acid	20.5	19.3		ng/L		94	70 - 130
Perfluorotridecanoic acid	20.5	17.7		ng/L		86	70 - 130
Perfluoroundecanoic acid	20.5	19.3		ng/L		94	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFDA	98		70 - 130
13C2 PFHxA	86		70 - 130
d5-NEtFOSAA	90		70 - 130

Lab Sample ID: LCSD 410-543366/3-A

Matrix: Water

Analysis Batch: 544855

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 543366

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
NEtFOSAA	20.5	16.9		ng/L		82	70 - 130	5	30
NMeFOSAA	20.5	16.3		ng/L		79	70 - 130	3	30
Perfluorobutanesulfonic acid	18.1	12.8		ng/L		70	70 - 130	4	30
Perfluorodecanoic acid	20.5	17.6		ng/L		86	70 - 130	0	30
Perfluorododecanoic acid	20.5	18.3		ng/L		89	70 - 130	4	30
Perfluoroheptanoic acid	20.5	17.5		ng/L		85	70 - 130	5	30
Perfluorohexanesulfonic acid	18.7	15.7		ng/L		84	70 - 130	3	30
Perfluorohexanoic acid	20.5	15.7		ng/L		77	70 - 130	6	30
Perfluorononanoic acid	20.5	17.8		ng/L		87	70 - 130	2	30
Perfluorooctanesulfonic acid	19.0	16.2		ng/L		85	70 - 130	0	30
Perfluorooctanoic acid	20.5	18.1		ng/L		89	70 - 130	3	30
Perfluorotetradecanoic acid	20.5	18.6		ng/L		91	70 - 130	3	30
Perfluorotridecanoic acid	20.5	16.8		ng/L		82	70 - 130	5	30
Perfluoroundecanoic acid	20.5	18.2		ng/L		89	70 - 130	6	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
13C2 PFDA	99		70 - 130
13C2 PFHxA	79		70 - 130
d5-NEtFOSAA	90		70 - 130

Lab Sample ID: MB 410-545052/1-A

Matrix: Water

Analysis Batch: 545657

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 545052

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
NMeFOSAA	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: MB 410-545052/1-A

Matrix: Water

Analysis Batch: 545657

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 545052

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorodecanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		08/27/24 17:09	08/29/24 03:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	110		70 - 130	08/27/24 17:09	08/29/24 03:02	1
13C2 PFHxA	100		70 - 130	08/27/24 17:09	08/29/24 03:02	1
d5-NEtFOSAA	108		70 - 130	08/27/24 17:09	08/29/24 03:02	1

Lab Sample ID: LCS 410-545052/2-A

Matrix: Water

Analysis Batch: 545657

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 545052

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
NEtFOSAA	60.0	49.9		ng/L		83	70 - 130
NMeFOSAA	60.0	53.7		ng/L		89	70 - 130
Perfluorobutanesulfonic acid	53.1	41.7		ng/L		79	70 - 130
Perfluorodecanoic acid	60.0	57.2		ng/L		95	70 - 130
Perfluorododecanoic acid	60.0	55.7		ng/L		93	70 - 130
Perfluoroheptanoic acid	60.0	57.1		ng/L		95	70 - 130
Perfluorohexanesulfonic acid	54.7	50.7		ng/L		93	70 - 130
Perfluorohexanoic acid	60.0	54.0		ng/L		90	70 - 130
Perfluorononanoic acid	60.0	61.7		ng/L		103	70 - 130
Perfluorooctanesulfonic acid	55.5	49.8		ng/L		90	70 - 130
Perfluorooctanoic acid	60.0	57.6		ng/L		96	70 - 130
Perfluorotetradecanoic acid	60.0	67.5		ng/L		112	70 - 130
Perfluorotridecanoic acid	60.0	56.4		ng/L		94	70 - 130
Perfluoroundecanoic acid	60.0	55.1		ng/L		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFDA	103		70 - 130
13C2 PFHxA	96		70 - 130
d5-NEtFOSAA	92		70 - 130

Lab Sample ID: LCSD 410-545052/3-A

Matrix: Water

Analysis Batch: 545657

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 545052

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
NEtFOSAA	60.0	52.8		ng/L		88	70 - 130	6	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCSD 410-545052/3-A

Matrix: Water

Analysis Batch: 545657

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 545052

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
NMeFOSAA	60.0	55.8		ng/L		93	70 - 130	4	30
Perfluorobutanesulfonic acid	53.1	44.4		ng/L		84	70 - 130	6	30
Perfluorodecanoic acid	60.0	62.8		ng/L		105	70 - 130	9	30
Perfluorododecanoic acid	60.0	61.7		ng/L		103	70 - 130	10	30
Perfluoroheptanoic acid	60.0	62.3		ng/L		104	70 - 130	9	30
Perfluorohexanesulfonic acid	54.7	53.8		ng/L		98	70 - 130	6	30
Perfluorohexanoic acid	60.0	58.0		ng/L		97	70 - 130	7	30
Perfluorononanoic acid	60.0	61.4		ng/L		102	70 - 130	0	30
Perfluorooctanesulfonic acid	55.5	53.0		ng/L		95	70 - 130	6	30
Perfluorooctanoic acid	60.0	63.4		ng/L		106	70 - 130	9	30
Perfluorotetradecanoic acid	60.0	73.4		ng/L		122	70 - 130	8	30
Perfluorotridecanoic acid	60.0	60.7		ng/L		101	70 - 130	7	30
Perfluoroundecanoic acid	60.0	61.7		ng/L		103	70 - 130	11	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
13C2 PFDA	113		70 - 130
13C2 PFHxA	98		70 - 130
d5-NEtFOSAA	98		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

LCMS

Prep Batch: 542293

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-1	GAC INFLUENT	Total/NA	Water	SPE	
410-184487-2	GAC MIDFLUENT	Total/NA	Water	SPE	
410-184487-3	GAC EFFLUENT	Total/NA	Water	SPE	
410-184487-4	PV-1_25	Total/NA	Water	SPE	
410-184487-5	PV-1_50	Total/NA	Water	SPE	
410-184487-6	PV-1_75	Total/NA	Water	SPE	
410-184487-7	SG1-FTB01-240814	Total/NA	Water	SPE	
410-184487-8	SG1-LTB01-240814	Total/NA	Water	SPE	
MB 410-542293/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-542293/2-A	Lab Control Sample	Total/NA	Water	SPE	
LCSD 410-542293/23-A	Lab Control Sample Dup	Total/NA	Water	SPE	

Prep Batch: 543366

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-6	PV-1_75	Total/NA	Water	537.1 DW Prep	
410-184487-7	SG1-FTB01-240814	Total/NA	Water	537.1 DW Prep	
410-184487-8	SG1-LTB01-240814	Total/NA	Water	537.1 DW Prep	
MB 410-543366/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-543366/2-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	
LCSD 410-543366/3-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW Prep	

Analysis Batch: 544855

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-6	PV-1_75	Total/NA	Water	EPA 537.1	543366
410-184487-7	SG1-FTB01-240814	Total/NA	Water	EPA 537.1	543366
410-184487-8	SG1-LTB01-240814	Total/NA	Water	EPA 537.1	543366
MB 410-543366/1-A	Method Blank	Total/NA	Water	EPA 537.1	543366
LCS 410-543366/2-A	Lab Control Sample	Total/NA	Water	EPA 537.1	543366
LCSD 410-543366/3-A	Lab Control Sample Dup	Total/NA	Water	EPA 537.1	543366

Prep Batch: 545052

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-1	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-184487-1 - DL	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-184487-2	GAC MIDFLUENT	Total/NA	Water	537.1 DW Prep	
410-184487-3	GAC EFFLUENT	Total/NA	Water	537.1 DW Prep	
410-184487-4	PV-1_25	Total/NA	Water	537.1 DW Prep	
410-184487-5	PV-1_50	Total/NA	Water	537.1 DW Prep	
MB 410-545052/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-545052/2-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	
LCSD 410-545052/3-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW Prep	

Analysis Batch: 545501

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	542293
410-184487-2	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	542293
410-184487-3	GAC EFFLUENT	Total/NA	Water	537 (Mod)	542293
410-184487-4	PV-1_25	Total/NA	Water	537 (Mod)	542293
410-184487-5	PV-1_50	Total/NA	Water	537 (Mod)	542293
410-184487-6	PV-1_75	Total/NA	Water	537 (Mod)	542293
410-184487-7	SG1-FTB01-240814	Total/NA	Water	537 (Mod)	542293

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

LCMS (Continued)

Analysis Batch: 545501 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-8	SG1-LTB01-240814	Total/NA	Water	537 (Mod)	542293
LCS 410-542293/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	542293
LCSD 410-542293/23-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	542293

Analysis Batch: 545657

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-1	GAC INFLUENT	Total/NA	Water	EPA 537.1	545052
410-184487-2	GAC MIDFLUENT	Total/NA	Water	EPA 537.1	545052
410-184487-3	GAC EFFLUENT	Total/NA	Water	EPA 537.1	545052
410-184487-4	PV-1_25	Total/NA	Water	EPA 537.1	545052
410-184487-5	PV-1_50	Total/NA	Water	EPA 537.1	545052
MB 410-545052/1-A	Method Blank	Total/NA	Water	EPA 537.1	545052
LCS 410-545052/2-A	Lab Control Sample	Total/NA	Water	EPA 537.1	545052
LCSD 410-545052/3-A	Lab Control Sample Dup	Total/NA	Water	EPA 537.1	545052

Analysis Batch: 545898

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-542293/1-A	Method Blank	Total/NA	Water	537 (Mod)	542293

Analysis Batch: 546237

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-184487-1 - DL	GAC INFLUENT	Total/NA	Water	EPA 537.1	545052

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-184487-1

Date Collected: 08/14/24 09:45

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 22:13
Total/NA	Prep	537.1 DW Prep			545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1		1	545657	QD9Y	ELLE	08/29/24 06:30
Total/NA	Prep	537.1 DW Prep	DL		545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1	DL	10	546237	QD9Y	ELLE	08/30/24 00:03

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-184487-2

Date Collected: 08/14/24 09:52

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 22:28
Total/NA	Prep	537.1 DW Prep			545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1		1	545657	QD9Y	ELLE	08/29/24 06:42

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-184487-3

Date Collected: 08/14/24 09:57

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 22:43
Total/NA	Prep	537.1 DW Prep			545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1		1	545657	QD9Y	ELLE	08/29/24 07:05

Client Sample ID: PV-1_25

Lab Sample ID: 410-184487-4

Date Collected: 08/14/24 10:03

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 22:58
Total/NA	Prep	537.1 DW Prep			545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1		1	545657	QD9Y	ELLE	08/29/24 07:16

Client Sample ID: PV-1_50

Lab Sample ID: 410-184487-5

Date Collected: 08/14/24 10:09

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 23:28
Total/NA	Prep	537.1 DW Prep			545052	XBL5	ELLE	08/27/24 17:09
Total/NA	Analysis	EPA 537.1		1	545657	QD9Y	ELLE	08/29/24 07:28

Eurofins Lancaster Laboratories Environment Testing, LLC

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Client Sample ID: PV-1_75

Lab Sample ID: 410-184487-6

Date Collected: 08/14/24 10:15

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 23:43
Total/NA	Prep	537.1 DW Prep			543366	DX7G	ELLE	08/22/24 08:51
Total/NA	Analysis	EPA 537.1		1	544855	QD9Y	ELLE	08/27/24 18:11

Client Sample ID: SG1-FTB01-240814

Lab Sample ID: 410-184487-7

Date Collected: 08/14/24 10:20

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/28/24 23:58
Total/NA	Prep	537.1 DW Prep			543366	DX7G	ELLE	08/22/24 08:51
Total/NA	Analysis	EPA 537.1		1	544855	QD9Y	ELLE	08/27/24 18:22

Client Sample ID: SG1-LTB01-240814

Lab Sample ID: 410-184487-8

Date Collected: 08/14/24 00:00

Matrix: Water

Date Received: 08/16/24 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			542293	M4QQ	ELLE	08/20/24 06:41
Total/NA	Analysis	537 (Mod)		1	545501	UUV6	ELLE	08/29/24 00:13
Total/NA	Prep	537.1 DW Prep			543366	DX7G	ELLE	08/22/24 08:51
Total/NA	Analysis	EPA 537.1		1	544855	QD9Y	ELLE	08/27/24 18:57

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluorooctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
EPA 537.1	EPA 537.1, Ver 1.0 Nov 2018	EPA	ELLE
537.1 DW Prep	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE
SPE	PFAS by SPE	Lab SOP	ELLE

Protocol References:

EPA = US Environmental Protection Agency
Lab SOP = Laboratory Standard Operating Procedure

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-184487-1
SDG: HOO

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-184487-1	GAC INFLUENT	Water	08/14/24 09:45	08/16/24 09:35
410-184487-2	GAC MIDFLUENT	Water	08/14/24 09:52	08/16/24 09:35
410-184487-3	GAC EFFLUENT	Water	08/14/24 09:57	08/16/24 09:35
410-184487-4	PV-1_25	Water	08/14/24 10:03	08/16/24 09:35
410-184487-5	PV-1_50	Water	08/14/24 10:09	08/16/24 09:35
410-184487-6	PV-1_75	Water	08/14/24 10:15	08/16/24 09:35
410-184487-7	SG1-FTB01-240814	Water	08/14/24 10:20	08/16/24 09:35
410-184487-8	SG1-LTB01-240814	Water	08/14/24 00:00	08/16/24 09:35

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-184487-1

SDG Number: HOO

Login Number: 184487

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Santiago, Nathaniel

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable,where thermal pres is required(</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV:Container Temp acceptable,where thermal pres is required (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	True	
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A	

Sample Preservation Checks (performed by the laboratory)

Question	Answer	Comment
Did the sample containers checked meet expected preservation conditions?	False	Refer to Job Narrative for details.