

ANALYTICAL REPORT

PREPARED FOR

Attn: Jonathan Dippert
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 11/7/2024 6:30:59 PM

JOB DESCRIPTION

HFWTP 14.4756
HOO

JOB NUMBER

410-193928-1

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
11/7/2024 6:30:59 PM

Authorized for release by
Kelly Gallagher, Project Manager
kelly.gallagher@et.eurofinsus.com
(717)205-7820

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
 - Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
 - Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.
- Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Table of Contents

Cover Page	1
Table of Contents	4
Definitions/Glossary	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	16
Isotope Dilution Summary	17
QC Sample Results	18
QC Association Summary	21
Lab Chronicle	23
Certification Summary	25
Method Summary	26
Sample Summary	27
Chain of Custody	28
Receipt Checklists	29



Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Qualifiers

LCMS

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project: HFWTP 14.4756

Job ID: 410-193928-1

Job ID: 410-193928-1

Eurofins Lancaster Laboratories Environment

Job Narrative 410-193928-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/25/2024 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -0.2°C.

PFAS

Method 537.1_DW: The following sample was found to contain residual chlorine: GAC INFLUENT (410-193928-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-193928-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.5		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.5		1.8	ng/L	1		537 (Mod)	Total/NA
Perfluoroheptanoic acid	8.7	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorohexanoic acid	8.5	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanesulfonic acid	3.9	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanoic acid - DL	350	cn	18	ng/L	10		EPA 537.1	Total/NA

Client Sample ID: SG1-FTB01-241024

Lab Sample ID: 410-193928-2

No Detections.

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-193928-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.4		1.7	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-193928-4

No Detections.

Client Sample ID: PV-1_25

Lab Sample ID: 410-193928-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	5.9		1.7	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-1_50

Lab Sample ID: 410-193928-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.6		1.7	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: PV-1_75

Lab Sample ID: 410-193928-7

No Detections.

Client Sample ID: SG1-LTB01-241024

Lab Sample ID: 410-193928-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-193928-1

Date Collected: 10/24/24 09:10

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
Perfluorobutanoic acid	3.5		1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1
Perfluoropentanoic acid	2.5		1.8	ng/L		10/31/24 06:41	11/06/24 21:02	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	92		26 - 200	10/31/24 06:41	11/06/24 21:02	1
M2-8:2 FTS	96		27 - 200	10/31/24 06:41	11/06/24 21:02	1
13C4 PFBA	76		10 - 168	10/31/24 06:41	11/06/24 21:02	1
13C5 PFPeA	94		15 - 189	10/31/24 06:41	11/06/24 21:02	1
13C8 PFOS	99		44 - 153	10/31/24 06:41	11/06/24 21:02	1
13C8 FOSA	81		11 - 149	10/31/24 06:41	11/06/24 21:02	1
13C3 PFHxS	101		39 - 164	10/31/24 06:41	11/06/24 21:02	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
NMeFOSAA	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorobutanesulfonic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorodecanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorododecanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluoroheptanoic acid	8.7	cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorohexanesulfonic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorohexanoic acid	8.5	cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorononanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorooctanesulfonic acid	3.9	cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorotetradecanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluorotridecanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1
Perfluoroundecanoic acid	1.8	U cn	1.8	ng/L		10/29/24 14:33	11/05/24 12:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	116	cn	70 - 130	10/29/24 14:33	11/05/24 12:15	1
13C2 PFHxA	108	cn	70 - 130	10/29/24 14:33	11/05/24 12:15	1
d5-NEtFOSAA	100	cn	70 - 130	10/29/24 14:33	11/05/24 12:15	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	350	cn	18	ng/L		10/29/24 14:33	11/06/24 14:16	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	118	cn	70 - 130	10/29/24 14:33	11/06/24 14:16	10
13C2 PFHxA	106	cn	70 - 130	10/29/24 14:33	11/06/24 14:16	10
d5-NEtFOSAA	88	cn	70 - 130	10/29/24 14:33	11/06/24 14:16	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: SG1-FTB01-241024

Lab Sample ID: 410-193928-2

Date Collected: 10/24/24 09:25

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
Perfluorobutanoic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		10/31/24 06:41	11/06/24 21:15	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	89		26 - 200	10/31/24 06:41	11/06/24 21:15	1
M2-8:2 FTS	105		27 - 200	10/31/24 06:41	11/06/24 21:15	1
13C4 PFBA	94		10 - 168	10/31/24 06:41	11/06/24 21:15	1
13C5 PFPeA	94		15 - 189	10/31/24 06:41	11/06/24 21:15	1
13C8 PFOS	100		44 - 153	10/31/24 06:41	11/06/24 21:15	1
13C8 FOSA	81		11 - 149	10/31/24 06:41	11/06/24 21:15	1
13C3 PFHxS	97		39 - 164	10/31/24 06:41	11/06/24 21:15	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
NMeFOSAA	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorohexanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		10/29/24 14:33	11/05/24 12:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	125		70 - 130	10/29/24 14:33	11/05/24 12:29	1
13C2 PFHxA	108		70 - 130	10/29/24 14:33	11/05/24 12:29	1
d5-NEtFOSAA	108		70 - 130	10/29/24 14:33	11/05/24 12:29	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-193928-3

Date Collected: 10/24/24 09:35

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
Perfluorobutanoic acid	5.4		1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:29	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	89		26 - 200	10/31/24 06:41	11/06/24 21:29	1
M2-8:2 FTS	97		27 - 200	10/31/24 06:41	11/06/24 21:29	1
13C4 PFBA	91		10 - 168	10/31/24 06:41	11/06/24 21:29	1
13C5 PFPeA	91		15 - 189	10/31/24 06:41	11/06/24 21:29	1
13C8 PFOS	100		44 - 153	10/31/24 06:41	11/06/24 21:29	1
13C8 FOSA	87		11 - 149	10/31/24 06:41	11/06/24 21:29	1
13C3 PFHxS	98		39 - 164	10/31/24 06:41	11/06/24 21:29	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
NMeFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	126		70 - 130	10/29/24 14:33	11/05/24 12:42	1
13C2 PFHxA	117		70 - 130	10/29/24 14:33	11/05/24 12:42	1
d5-NEtFOSAA	115		70 - 130	10/29/24 14:33	11/05/24 12:42	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-193928-4

Date Collected: 10/24/24 09:45

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:42	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	88		26 - 200	10/31/24 06:41	11/06/24 21:42	1
M2-8:2 FTS	96		27 - 200	10/31/24 06:41	11/06/24 21:42	1
13C4 PFBA	85		10 - 168	10/31/24 06:41	11/06/24 21:42	1
13C5 PFPeA	87		15 - 189	10/31/24 06:41	11/06/24 21:42	1
13C8 PFOS	93		44 - 153	10/31/24 06:41	11/06/24 21:42	1
13C8 FOSA	85		11 - 149	10/31/24 06:41	11/06/24 21:42	1
13C3 PFHxS	92		39 - 164	10/31/24 06:41	11/06/24 21:42	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
NMeFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 12:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	120		70 - 130	10/29/24 14:33	11/05/24 12:56	1
13C2 PFHxA	114		70 - 130	10/29/24 14:33	11/05/24 12:56	1
d5-NEtFOSAA	106		70 - 130	10/29/24 14:33	11/05/24 12:56	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: PV-1_25

Lab Sample ID: 410-193928-5

Date Collected: 10/24/24 09:55

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
Perfluorobutanoic acid	5.9		1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 21:56	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	84		26 - 200	10/31/24 06:41	11/06/24 21:56	1
M2-8:2 FTS	100		27 - 200	10/31/24 06:41	11/06/24 21:56	1
13C4 PFBA	90		10 - 168	10/31/24 06:41	11/06/24 21:56	1
13C5 PFPeA	87		15 - 189	10/31/24 06:41	11/06/24 21:56	1
13C8 PFOS	95		44 - 153	10/31/24 06:41	11/06/24 21:56	1
13C8 FOSA	83		11 - 149	10/31/24 06:41	11/06/24 21:56	1
13C3 PFHxS	93		39 - 164	10/31/24 06:41	11/06/24 21:56	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
NMeFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	123		70 - 130	10/29/24 14:33	11/05/24 13:09	1
13C2 PFHxA	119		70 - 130	10/29/24 14:33	11/05/24 13:09	1
d5-NEtFOSAA	103		70 - 130	10/29/24 14:33	11/05/24 13:09	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: PV-1_50

Lab Sample ID: 410-193928-6

Date Collected: 10/24/24 10:05

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
Perfluorobutanoic acid	3.6		1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:23	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	91		26 - 200	10/31/24 06:41	11/06/24 22:23	1
M2-8:2 FTS	99		27 - 200	10/31/24 06:41	11/06/24 22:23	1
13C4 PFBA	94		10 - 168	10/31/24 06:41	11/06/24 22:23	1
13C5 PFPeA	93		15 - 189	10/31/24 06:41	11/06/24 22:23	1
13C8 PFOS	99		44 - 153	10/31/24 06:41	11/06/24 22:23	1
13C8 FOSA	90		11 - 149	10/31/24 06:41	11/06/24 22:23	1
13C3 PFHxS	99		39 - 164	10/31/24 06:41	11/06/24 22:23	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
NMeFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	117		70 - 130	10/29/24 14:33	11/05/24 13:23	1
13C2 PFHxA	112		70 - 130	10/29/24 14:33	11/05/24 13:23	1
d5-NEtFOSAA	109		70 - 130	10/29/24 14:33	11/05/24 13:23	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: PV-1_75

Lab Sample ID: 410-193928-7

Date Collected: 10/24/24 10:10

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		10/31/24 06:41	11/06/24 22:36	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	92		26 - 200	10/31/24 06:41	11/06/24 22:36	1
M2-8:2 FTS	91		27 - 200	10/31/24 06:41	11/06/24 22:36	1
13C4 PFBA	95		10 - 168	10/31/24 06:41	11/06/24 22:36	1
13C5 PFPeA	94		15 - 189	10/31/24 06:41	11/06/24 22:36	1
13C8 PFOS	98		44 - 153	10/31/24 06:41	11/06/24 22:36	1
13C8 FOSA	90		11 - 149	10/31/24 06:41	11/06/24 22:36	1
13C3 PFHxS	97		39 - 164	10/31/24 06:41	11/06/24 22:36	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
NMeFOSAA	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		10/29/24 14:33	11/05/24 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	126		70 - 130	10/29/24 14:33	11/05/24 13:36	1
13C2 PFHxA	114		70 - 130	10/29/24 14:33	11/05/24 13:36	1
d5-NEtFOSAA	98		70 - 130	10/29/24 14:33	11/05/24 13:36	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: SG1-LTB01-241024

Lab Sample ID: 410-193928-8

Date Collected: 10/24/24 00:00

Matrix: Water

Date Received: 10/25/24 10:10

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
Perfluorobutanoic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		10/31/24 06:41	11/06/24 22:50	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	86		26 - 200	10/31/24 06:41	11/06/24 22:50	1
M2-8:2 FTS	101		27 - 200	10/31/24 06:41	11/06/24 22:50	1
13C4 PFBA	81		10 - 168	10/31/24 06:41	11/06/24 22:50	1
13C5 PFPeA	93		15 - 189	10/31/24 06:41	11/06/24 22:50	1
13C8 PFOS	101		44 - 153	10/31/24 06:41	11/06/24 22:50	1
13C8 FOSA	81		11 - 149	10/31/24 06:41	11/06/24 22:50	1
13C3 PFHxS	98		39 - 164	10/31/24 06:41	11/06/24 22:50	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
NMeFOSAA	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorobutanesulfonic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorodecanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorododecanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluoroheptanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorohexanesulfonic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorohexanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorononanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorooctanesulfonic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorooctanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorotetradecanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluorotridecanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1
Perfluoroundecanoic acid	1.9	U	1.9	ng/L		10/29/24 14:33	11/05/24 14:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	118		70 - 130	10/29/24 14:33	11/05/24 14:03	1
13C2 PFHxA	112		70 - 130	10/29/24 14:33	11/05/24 14:03	1
d5-NEtFOSAA	105		70 - 130	10/29/24 14:33	11/05/24 14:03	1

Surrogate Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	PFDA (70-130)	PFHxA (70-130)	d5NEFOS (70-130)
410-193928-1	GAC INFLUENT	116 cn	108 cn	100 cn
410-193928-1 - DL	GAC INFLUENT	118 cn	106 cn	88 cn
410-193928-2	SG1-FTB01-241024	125	108	108
410-193928-3	GAC MIDFLUENT	126	117	115
410-193928-4	GAC EFFLUENT	120	114	106
410-193928-5	PV-1_25	123	119	103
410-193928-6	PV-1_50	117	112	109
410-193928-7	PV-1_75	126	114	98
410-193928-8	SG1-LTB01-241024	118	112	105
LCS 410-569106/2-A	Lab Control Sample	110	106	104
LCSD 410-569106/3-A	Lab Control Sample Dup	113	111	99
MB 410-569106/1-A	Method Blank	119	109	103

Surrogate Legend

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

d5NEFOS = d5-NEtFOSAA

Isotope Dilution Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	M262FTS (26-200)	M282FTS (27-200)	PFBA (10-168)	PFPeA (15-189)	C8PFOS (44-153)	PFOSA (11-149)	C3PFHS (39-164)
410-193928-1	GAC INFLUENT	92	96	76	94	99	81	101
410-193928-2	SG1-FTB01-241024	89	105	94	94	100	81	97
410-193928-3	GAC MIDFLUENT	89	97	91	91	100	87	98
410-193928-4	GAC EFFLUENT	88	96	85	87	93	85	92
410-193928-5	PV-1_25	84	100	90	87	95	83	93
410-193928-6	PV-1_50	91	99	94	93	99	90	99
410-193928-7	PV-1_75	92	91	95	94	98	90	97
410-193928-8	SG1-LTB01-241024	86	101	81	93	101	81	98
LCS 410-569793/2-A	Lab Control Sample	90	97	72	90	99	83	94
LCSD 410-569793/3-A	Lab Control Sample Dup	93	100	80	94	101	83	98
MB 410-569793/1-A	Method Blank	88	95	73	90	100	79	95

Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-569793/1-A

Matrix: Water

Analysis Batch: 571847

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 569793

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
8:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
Perfluorobutanoic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		10/31/24 06:41	11/06/24 19:13	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	88		26 - 200	10/31/24 06:41	11/06/24 19:13	1
M2-8:2 FTS	95		27 - 200	10/31/24 06:41	11/06/24 19:13	1
13C4 PFBA	73		10 - 168	10/31/24 06:41	11/06/24 19:13	1
13C5 PFPeA	90		15 - 189	10/31/24 06:41	11/06/24 19:13	1
13C8 PFOS	100		44 - 153	10/31/24 06:41	11/06/24 19:13	1
13C8 FOSA	79		11 - 149	10/31/24 06:41	11/06/24 19:13	1
13C3 PFHxS	95		39 - 164	10/31/24 06:41	11/06/24 19:13	1

Lab Sample ID: LCS 410-569793/2-A

Matrix: Water

Analysis Batch: 571847

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 569793

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
6:2 Fluorotelomer sulfonic acid	24.4	18.7		ng/L		77	56 - 130
8:2 Fluorotelomer sulfonic acid	24.6	20.8		ng/L		85	55 - 130
Perfluorobutanoic acid	25.6	21.4		ng/L		84	56 - 130
Perfluorodecanesulfonic acid	24.7	20.8		ng/L		84	53 - 130
Perfluoroheptanesulfonic acid	24.4	18.0		ng/L		74	55 - 130
Perfluorooctanesulfonamide	25.6	19.5		ng/L		76	64 - 133
Perfluoropentanoic acid	25.6	19.8		ng/L		77	56 - 130

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
M2-6:2 FTS	90		26 - 200
M2-8:2 FTS	97		27 - 200
13C4 PFBA	72		10 - 168
13C5 PFPeA	90		15 - 189
13C8 PFOS	99		44 - 153
13C8 FOSA	83		11 - 149
13C3 PFHxS	94		39 - 164

Lab Sample ID: LCSD 410-569793/3-A

Matrix: Water

Analysis Batch: 571847

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 569793

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD	Limit
6:2 Fluorotelomer sulfonic acid	24.4	18.9		ng/L		78	1	30
8:2 Fluorotelomer sulfonic acid	24.6	21.3		ng/L		86	2	30
Perfluorobutanoic acid	25.6	22.9		ng/L		90	7	30
Perfluorodecanesulfonic acid	24.7	20.9		ng/L		85	1	30
Perfluoroheptanesulfonic acid	24.4	19.2		ng/L		78	6	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-569793/3-A

Matrix: Water

Analysis Batch: 571847

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 569793

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	20.7		ng/L		81	64 - 133	6	30
Perfluoropentanoic acid	25.6	20.0		ng/L		78	56 - 130	1	30

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
M2-6:2 FTS	93		26 - 200
M2-8:2 FTS	100		27 - 200
13C4 PFBA	80		10 - 168
13C5 PFPeA	94		15 - 189
13C8 PFOS	101		44 - 153
13C8 FOSA	83		11 - 149
13C3 PFHxS	98		39 - 164

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Lab Sample ID: MB 410-569106/1-A

Matrix: Water

Analysis Batch: 571439

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 569106

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
NMeFOSAA	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		10/29/24 14:33	11/05/24 11:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	119		70 - 130	10/29/24 14:33	11/05/24 11:21	1
13C2 PFHxA	109		70 - 130	10/29/24 14:33	11/05/24 11:21	1
d5-NEtFOSAA	103		70 - 130	10/29/24 14:33	11/05/24 11:21	1

Lab Sample ID: LCS 410-569106/2-A

Matrix: Water

Analysis Batch: 571439

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 569106

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
NEtFOSAA	20.5	20.7		ng/L		101	70 - 130
NMeFOSAA	20.5	20.6		ng/L		101	70 - 130
Perfluorobutanesulfonic acid	18.1	18.8		ng/L		104	70 - 130
Perfluorodecanoic acid	20.5	23.6		ng/L		115	70 - 130
Perfluorododecanoic acid	20.5	20.2		ng/L		99	70 - 130

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCS 410-569106/2-A

Matrix: Water

Analysis Batch: 571439

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 569106

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoroheptanoic acid	20.5	21.4		ng/L		105	70 - 130
Perfluorohexanesulfonic acid	18.7	19.6		ng/L		105	70 - 130
Perfluorohexanoic acid	20.5	22.1		ng/L		108	70 - 130
Perfluorononanoic acid	20.5	22.5		ng/L		110	70 - 130
Perfluorooctanesulfonic acid	19.0	18.9		ng/L		100	70 - 130
Perfluorooctanoic acid	20.5	21.7		ng/L		106	70 - 130
Perfluorotetradecanoic acid	20.5	19.0		ng/L		93	70 - 130
Perfluorotridecanoic acid	20.5	20.1		ng/L		98	70 - 130
Perfluoroundecanoic acid	20.5	21.0		ng/L		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFDA	110		70 - 130
13C2 PFHxA	106		70 - 130
d5-NEtFOSAA	104		70 - 130

Lab Sample ID: LCSD 410-569106/3-A

Matrix: Water

Analysis Batch: 571439

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 569106

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
NEtFOSAA	20.5	19.4		ng/L		95	70 - 130	6	30
NMeFOSAA	20.5	19.2		ng/L		94	70 - 130	7	30
Perfluorobutanesulfonic acid	18.1	19.5		ng/L		108	70 - 130	4	30
Perfluorodecanoic acid	20.5	23.5		ng/L		115	70 - 130	0	30
Perfluorododecanoic acid	20.5	20.8		ng/L		101	70 - 130	3	30
Perfluoroheptanoic acid	20.5	22.1		ng/L		108	70 - 130	3	30
Perfluorohexanesulfonic acid	18.7	20.1		ng/L		107	70 - 130	3	30
Perfluorohexanoic acid	20.5	21.9		ng/L		107	70 - 130	1	30
Perfluorononanoic acid	20.5	23.1		ng/L		113	70 - 130	2	30
Perfluorooctanesulfonic acid	19.0	19.4		ng/L		103	70 - 130	3	30
Perfluorooctanoic acid	20.5	22.7		ng/L		111	70 - 130	4	30
Perfluorotetradecanoic acid	20.5	19.2		ng/L		94	70 - 130	1	30
Perfluorotridecanoic acid	20.5	19.9		ng/L		97	70 - 130	1	30
Perfluoroundecanoic acid	20.5	21.5		ng/L		105	70 - 130	3	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
13C2 PFDA	113		70 - 130
13C2 PFHxA	111		70 - 130
d5-NEtFOSAA	99		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

LCMS

Prep Batch: 569106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-193928-1	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-193928-1 - DL	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-193928-2	SG1-FTB01-241024	Total/NA	Water	537.1 DW Prep	
410-193928-3	GAC MIDFLUENT	Total/NA	Water	537.1 DW Prep	
410-193928-4	GAC EFFLUENT	Total/NA	Water	537.1 DW Prep	
410-193928-5	PV-1_25	Total/NA	Water	537.1 DW Prep	
410-193928-6	PV-1_50	Total/NA	Water	537.1 DW Prep	
410-193928-7	PV-1_75	Total/NA	Water	537.1 DW Prep	
410-193928-8	SG1-LTB01-241024	Total/NA	Water	537.1 DW Prep	
MB 410-569106/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-569106/2-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	
LCSD 410-569106/3-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW Prep	

Prep Batch: 569793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-193928-1	GAC INFLUENT	Total/NA	Water	SPE	
410-193928-2	SG1-FTB01-241024	Total/NA	Water	SPE	
410-193928-3	GAC MIDFLUENT	Total/NA	Water	SPE	
410-193928-4	GAC EFFLUENT	Total/NA	Water	SPE	
410-193928-5	PV-1_25	Total/NA	Water	SPE	
410-193928-6	PV-1_50	Total/NA	Water	SPE	
410-193928-7	PV-1_75	Total/NA	Water	SPE	
410-193928-8	SG1-LTB01-241024	Total/NA	Water	SPE	
MB 410-569793/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-569793/2-A	Lab Control Sample	Total/NA	Water	SPE	
LCSD 410-569793/3-A	Lab Control Sample Dup	Total/NA	Water	SPE	

Analysis Batch: 571439

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-193928-1	GAC INFLUENT	Total/NA	Water	EPA 537.1	569106
410-193928-2	SG1-FTB01-241024	Total/NA	Water	EPA 537.1	569106
410-193928-3	GAC MIDFLUENT	Total/NA	Water	EPA 537.1	569106
410-193928-4	GAC EFFLUENT	Total/NA	Water	EPA 537.1	569106
410-193928-5	PV-1_25	Total/NA	Water	EPA 537.1	569106
410-193928-6	PV-1_50	Total/NA	Water	EPA 537.1	569106
410-193928-7	PV-1_75	Total/NA	Water	EPA 537.1	569106
410-193928-8	SG1-LTB01-241024	Total/NA	Water	EPA 537.1	569106
MB 410-569106/1-A	Method Blank	Total/NA	Water	EPA 537.1	569106
LCS 410-569106/2-A	Lab Control Sample	Total/NA	Water	EPA 537.1	569106
LCSD 410-569106/3-A	Lab Control Sample Dup	Total/NA	Water	EPA 537.1	569106

Analysis Batch: 571847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-193928-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	569793
410-193928-2	SG1-FTB01-241024	Total/NA	Water	537 (Mod)	569793
410-193928-3	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	569793
410-193928-4	GAC EFFLUENT	Total/NA	Water	537 (Mod)	569793
410-193928-5	PV-1_25	Total/NA	Water	537 (Mod)	569793
410-193928-6	PV-1_50	Total/NA	Water	537 (Mod)	569793
410-193928-7	PV-1_75	Total/NA	Water	537 (Mod)	569793
410-193928-8	SG1-LTB01-241024	Total/NA	Water	537 (Mod)	569793

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Association Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

LCMS (Continued)

Analysis Batch: 571847 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 410-569793/1-A	Method Blank	Total/NA	Water	537 (Mod)	569793
LCS 410-569793/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	569793
LCSD 410-569793/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	569793

Analysis Batch: 572016

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-193928-1 - DL	GAC INFLUENT	Total/NA	Water	EPA 537.1	569106

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-193928-1

Date Collected: 10/24/24 09:10

Matrix: Water

Date Received: 10/25/24 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 21:02
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 12:15
Total/NA	Prep	537.1 DW Prep	DL		569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1	DL	10	572016	WR4P	ELLE	11/06/24 14:16

Client Sample ID: SG1-FTB01-241024

Lab Sample ID: 410-193928-2

Date Collected: 10/24/24 09:25

Matrix: Water

Date Received: 10/25/24 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 21:15
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 12:29

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-193928-3

Date Collected: 10/24/24 09:35

Matrix: Water

Date Received: 10/25/24 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 21:29
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 12:42

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-193928-4

Date Collected: 10/24/24 09:45

Matrix: Water

Date Received: 10/25/24 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 21:42
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 12:56

Client Sample ID: PV-1_25

Lab Sample ID: 410-193928-5

Date Collected: 10/24/24 09:55

Matrix: Water

Date Received: 10/25/24 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 21:56
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 13:09

Eurofins Lancaster Laboratories Environment Testing, LLC

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Client Sample ID: PV-1_50

Date Collected: 10/24/24 10:05

Date Received: 10/25/24 10:10

Lab Sample ID: 410-193928-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 22:23
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 13:23

Client Sample ID: PV-1_75

Date Collected: 10/24/24 10:10

Date Received: 10/25/24 10:10

Lab Sample ID: 410-193928-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 22:36
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 13:36

Client Sample ID: SG1-LTB01-241024

Date Collected: 10/24/24 00:00

Date Received: 10/25/24 10:10

Lab Sample ID: 410-193928-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			569793	V3FW	ELLE	10/31/24 06:41
Total/NA	Analysis	537 (Mod)		1	571847	R7RE	ELLE	11/06/24 22:50
Total/NA	Prep	537.1 DW Prep			569106	ULU3	ELLE	10/29/24 14:33
Total/NA	Analysis	EPA 537.1		1	571439	WR4P	ELLE	11/05/24 14:03

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluorooctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
EPA 537.1	EPA 537.1, Ver 1.0 Nov 2018	EPA	ELLE
537.1 DW Prep	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE
SPE	PFAS by SPE	Lab SOP	ELLE

Protocol References:

EPA = US Environmental Protection Agency
Lab SOP = Laboratory Standard Operating Procedure

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: CT Male Associates DPC
Project/Site: HFWTP 14.4756

Job ID: 410-193928-1
SDG: HOO

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-193928-1	GAC INFLUENT	Water	10/24/24 09:10	10/25/24 10:10
410-193928-2	SG1-FTB01-241024	Water	10/24/24 09:25	10/25/24 10:10
410-193928-3	GAC MIDFLUENT	Water	10/24/24 09:35	10/25/24 10:10
410-193928-4	GAC EFFLUENT	Water	10/24/24 09:45	10/25/24 10:10
410-193928-5	PV-1_25	Water	10/24/24 09:55	10/25/24 10:10
410-193928-6	PV-1_50	Water	10/24/24 10:05	10/25/24 10:10
410-193928-7	PV-1_75	Water	10/24/24 10:10	10/25/24 10:10
410-193928-8	SG1-LTB01-241024	Water	10/24/24 00:00	10/25/24 10:10

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-193928-1

SDG Number: HOO

Login Number: 193928

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Ballard, Megan

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable, where thermal pres is required ($\leq 6^{\circ}\text{C}$, not frozen).	True	
Cooler Temperature is recorded.	True	
WV: Container Temp acceptable, where thermal pres is required ($\leq 6^{\circ}\text{C}$, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	True	
VOA sample vials do not have headspace $> 6\text{mm}$ in diameter (none, if from WV)?	N/A	

Sample Preservation Checks (performed by the laboratory)

Question	Answer	Comment
Did the sample containers checked meet expected preservation conditions?	False	Refer to Job Narrative for details.