



ANALYTICAL REPORT

PREPARED FOR

Attn: Jonathan Dippert
CT Male Associates DPC
50 Century Hill Dr
Latham, New York 12110

Generated 3/14/2025 4:43:30 AM

JOB DESCRIPTION

Hoosick Falls WTP
HOO

JOB NUMBER

410-210564-1

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
3/14/2025 4:43:30 AM

Authorized for release by
Kelly Gallagher, Project Manager
kelly.gallagher@et.eurofinsus.com
(717)205-7820

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.

- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Table of Contents

Cover Page	1
Table of Contents	4
Definitions/Glossary	5
Case Narrative	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	14
Isotope Dilution Summary	15
QC Sample Results	16
QC Association Summary	19
Lab Chronicle	20
Certification Summary	22
Method Summary	23
Sample Summary	24
Chain of Custody	25
Receipt Checklists	26



Definitions/Glossary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Qualifiers

LCMS

Qualifier	Qualifier Description
cn	Refer to Case Narrative for further detail
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CT Male Associates DPC
Project: Hoosick Falls WTP

Job ID: 410-210564-1

Job ID: 410-210564-1

Eurofins Lancaster Laboratories Environment

Job Narrative 410-210564-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/5/2025 9:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.6°C.

PFAS

Method 537.1_DW: The following sample was found to contain residual chlorine: GAC INFLUENT (410-210564-1).

Method PFC_IDA: The recovery for the labeled isotope M2-6:2 FTS in the laboratory control spike samples associated with the following samples: GAC INFLUENT (410-210564-1), GAC MIDFLUENT (410-210564-2), GAC EFFLUENT (410-210564-3), PV-2_25 (410-210564-4), SG1-FTB01-250303 (410-210564-5) and SG1-LTB01-250303 (410-210564-6) is outside the QC acceptance limits. Since the recovery for target analyte is within the limits, the data is reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-210564-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	3.8		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluorooctanesulfonamide	2.3		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoropentanoic acid	2.5		1.7	ng/L	1		537 (Mod)	Total/NA
Perfluoroheptanoic acid	7.0	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorohexanoic acid	6.5	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanesulfonic acid	4.0	cn	1.8	ng/L	1		EPA 537.1	Total/NA
Perfluorooctanoic acid - DL	280	cn	18	ng/L	10		EPA 537.1	Total/NA

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-210564-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanoic acid	4.0		1.7	ng/L	1		537 (Mod)	Total/NA

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-210564-3

No Detections.

Client Sample ID: PV-2_25

Lab Sample ID: 410-210564-4

No Detections.

Client Sample ID: SG1-FTB01-250303

Lab Sample ID: 410-210564-5

No Detections.

Client Sample ID: SG1-LTB01-250303

Lab Sample ID: 410-210564-6

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-210564-1

Date Collected: 03/03/25 09:40

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
Perfluorobutanoic acid	3.8		1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
Perfluorooctanesulfonamide	2.3		1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1
Perfluoropentanoic acid	2.5		1.7	ng/L		03/10/25 10:13	03/12/25 21:18	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	85	cn	26 - 200	03/10/25 10:13	03/12/25 21:18	1
M2-8:2 FTS	85		27 - 200	03/10/25 10:13	03/12/25 21:18	1
13C4 PFBA	68		10 - 168	03/10/25 10:13	03/12/25 21:18	1
13C5 PFPeA	66		15 - 189	03/10/25 10:13	03/12/25 21:18	1
13C8 PFOS	75		44 - 153	03/10/25 10:13	03/12/25 21:18	1
13C8 FOSA	62		11 - 149	03/10/25 10:13	03/12/25 21:18	1
13C3 PFHxS	74		39 - 164	03/10/25 10:13	03/12/25 21:18	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
NMeFOSAA	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorobutanesulfonic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorodecanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorododecanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluoroheptanoic acid	7.0	cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorohexanesulfonic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorohexanoic acid	6.5	cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorononanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorooctanesulfonic acid	4.0	cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorotetradecanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluorotridecanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1
Perfluoroundecanoic acid	1.8	U cn	1.8	ng/L		03/07/25 13:51	03/10/25 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	110	cn	70 - 130	03/07/25 13:51	03/10/25 18:16	1
13C2 PFHxA	98	cn	70 - 130	03/07/25 13:51	03/10/25 18:16	1
d5-NEtFOSAA	86	cn	70 - 130	03/07/25 13:51	03/10/25 18:16	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 - DL

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorooctanoic acid	280	cn	18	ng/L		03/07/25 13:51	03/11/25 19:07	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	94	cn	70 - 130	03/07/25 13:51	03/11/25 19:07	10
13C2 PFHxA	99	cn	70 - 130	03/07/25 13:51	03/11/25 19:07	10
d5-NEtFOSAA	91	cn	70 - 130	03/07/25 13:51	03/11/25 19:07	10

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-210564-2

Date Collected: 03/03/25 09:45

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
Perfluorobutanoic acid	4.0		1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:32	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	123	cn	26 - 200	03/10/25 10:13	03/12/25 21:32	1
M2-8:2 FTS	102		27 - 200	03/10/25 10:13	03/12/25 21:32	1
13C4 PFBA	71		10 - 168	03/10/25 10:13	03/12/25 21:32	1
13C5 PFPeA	68		15 - 189	03/10/25 10:13	03/12/25 21:32	1
13C8 PFOS	74		44 - 153	03/10/25 10:13	03/12/25 21:32	1
13C8 FOSA	69		11 - 149	03/10/25 10:13	03/12/25 21:32	1
13C3 PFHxS	75		39 - 164	03/10/25 10:13	03/12/25 21:32	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
NMeFOSAA	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorobutanesulfonic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorodecanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorododecanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluoroheptanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorohexanesulfonic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorohexanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorononanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorooctanesulfonic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorooctanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorotetradecanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluorotridecanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1
Perfluoroundecanoic acid	1.8	U	1.8	ng/L		03/07/25 13:51	03/10/25 18:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	112		70 - 130	03/07/25 13:51	03/10/25 18:30	1
13C2 PFHxA	102		70 - 130	03/07/25 13:51	03/10/25 18:30	1
d5-NEtFOSAA	87		70 - 130	03/07/25 13:51	03/10/25 18:30	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-210564-3

Date Collected: 03/03/25 09:50

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:46	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	108	cn	26 - 200	03/10/25 10:13	03/12/25 21:46	1
M2-8:2 FTS	118		27 - 200	03/10/25 10:13	03/12/25 21:46	1
13C4 PFBA	70		10 - 168	03/10/25 10:13	03/12/25 21:46	1
13C5 PFPeA	70		15 - 189	03/10/25 10:13	03/12/25 21:46	1
13C8 PFOS	81		44 - 153	03/10/25 10:13	03/12/25 21:46	1
13C8 FOSA	84		11 - 149	03/10/25 10:13	03/12/25 21:46	1
13C3 PFHxS	78		39 - 164	03/10/25 10:13	03/12/25 21:46	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
NMeFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 18:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	107		70 - 130	03/07/25 13:51	03/10/25 18:57	1
13C2 PFHxA	89		70 - 130	03/07/25 13:51	03/10/25 18:57	1
d5-NEtFOSAA	105		70 - 130	03/07/25 13:51	03/10/25 18:57	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: PV-2_25

Lab Sample ID: 410-210564-4

Date Collected: 03/03/25 09:55

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
8:2 Fluorotelomer sulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
Perfluorobutanoic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
Perfluorodecanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
Perfluoroheptanesulfonic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
Perfluorooctanesulfonamide	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1
Perfluoropentanoic acid	1.7	U	1.7	ng/L		03/10/25 10:13	03/12/25 21:59	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	96	cn	26 - 200	03/10/25 10:13	03/12/25 21:59	1
M2-8:2 FTS	94		27 - 200	03/10/25 10:13	03/12/25 21:59	1
13C4 PFBA	65		10 - 168	03/10/25 10:13	03/12/25 21:59	1
13C5 PFPeA	65		15 - 189	03/10/25 10:13	03/12/25 21:59	1
13C8 PFOS	75		44 - 153	03/10/25 10:13	03/12/25 21:59	1
13C8 FOSA	74		11 - 149	03/10/25 10:13	03/12/25 21:59	1
13C3 PFHxS	68		39 - 164	03/10/25 10:13	03/12/25 21:59	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
NMeFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	107		70 - 130	03/07/25 13:51	03/10/25 19:10	1
13C2 PFHxA	101		70 - 130	03/07/25 13:51	03/10/25 19:10	1
d5-NEtFOSAA	105		70 - 130	03/07/25 13:51	03/10/25 19:10	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: SG1-FTB01-250303

Lab Sample ID: 410-210564-5

Date Collected: 03/03/25 10:00

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
8:2 Fluorotelomer sulfonic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
Perfluorobutanoic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
Perfluorodecanesulfonic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
Perfluoroheptanesulfonic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
Perfluorooctanesulfonamide	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1
Perfluoropentanoic acid	1.8	U	1.8	ng/L		03/10/25 10:13	03/12/25 22:13	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	103	cn	26 - 200	03/10/25 10:13	03/12/25 22:13	1
M2-8:2 FTS	98		27 - 200	03/10/25 10:13	03/12/25 22:13	1
13C4 PFBA	76		10 - 168	03/10/25 10:13	03/12/25 22:13	1
13C5 PFPeA	72		15 - 189	03/10/25 10:13	03/12/25 22:13	1
13C8 PFOS	79		44 - 153	03/10/25 10:13	03/12/25 22:13	1
13C8 FOSA	81		11 - 149	03/10/25 10:13	03/12/25 22:13	1
13C3 PFHxS	75		39 - 164	03/10/25 10:13	03/12/25 22:13	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
NMeFOSAA	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorobutanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorodecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorododecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluoroheptanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorohexanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorohexanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorononanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorooctanesulfonic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorooctanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorotetradecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluorotridecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1
Perfluoroundecanoic acid	1.7	U	1.7	ng/L		03/07/25 13:51	03/10/25 19:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	121		70 - 130	03/07/25 13:51	03/10/25 19:24	1
13C2 PFHxA	100		70 - 130	03/07/25 13:51	03/10/25 19:24	1
d5-NEtFOSAA	101		70 - 130	03/07/25 13:51	03/10/25 19:24	1

Client Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: SG1-LTB01-250303

Lab Sample ID: 410-210564-6

Date Collected: 03/03/25 00:00

Matrix: Water

Date Received: 03/05/25 09:35

Method: EPA 537 (Mod) - EPA 537 Version 1.1 modified

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
8:2 Fluorotelomer sulfonic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
Perfluorobutanoic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
Perfluorodecanesulfonic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
Perfluoroheptanesulfonic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
Perfluorooctanesulfonamide	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1
Perfluoropentanoic acid	1.9	U	1.9	ng/L		03/10/25 10:13	03/12/25 22:26	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	115	cn	26 - 200	03/10/25 10:13	03/12/25 22:26	1
M2-8:2 FTS	110		27 - 200	03/10/25 10:13	03/12/25 22:26	1
13C4 PFBA	77		10 - 168	03/10/25 10:13	03/12/25 22:26	1
13C5 PFPeA	76		15 - 189	03/10/25 10:13	03/12/25 22:26	1
13C8 PFOS	80		44 - 153	03/10/25 10:13	03/12/25 22:26	1
13C8 FOSA	82		11 - 149	03/10/25 10:13	03/12/25 22:26	1
13C3 PFHxS	74		39 - 164	03/10/25 10:13	03/12/25 22:26	1

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
NMeFOSAA	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 19:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	104		70 - 130	03/07/25 13:51	03/10/25 19:37	1
13C2 PFHxA	93		70 - 130	03/07/25 13:51	03/10/25 19:37	1
d5-NEtFOSAA	90		70 - 130	03/07/25 13:51	03/10/25 19:37	1

Surrogate Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		PFDA (70-130)	PFHxA (70-130)	d5NEFOS (70-130)
410-210564-1	GAC INFLUENT	110 cn	98 cn	86 cn
410-210564-1 - DL	GAC INFLUENT	94 cn	99 cn	91 cn
410-210564-2	GAC MIDFLUENT	112	102	87
410-210564-3	GAC EFFLUENT	107	89	105
410-210564-4	PV-2_25	107	101	105
410-210564-5	SG1-FTB01-250303	121	100	101
410-210564-6	SG1-LTB01-250303	104	93	90
LCS 410-614331/3-A	Lab Control Sample	123	118	118
MB 410-614331/1-A	Method Blank	117	113	110

Surrogate Legend

PFDA = 13C2 PFDA

PFHxA = 13C2 PFHxA

d5NEFOS = d5-NEtFOSAA

Isotope Dilution Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)						
Lab Sample ID	Client Sample ID	M262FTS (26-200)	M282FTS (27-200)	PFBA (10-168)	PFPeA (15-189)	C8PFOS (44-153)	PFOSA (11-149)	C3PFHS (39-164)
410-210564-1	GAC INFLUENT	85 cn	85	68	66	75	62	74
410-210564-2	GAC MIDFLUENT	123 cn	102	71	68	74	69	75
410-210564-3	GAC EFFLUENT	108 cn	118	70	70	81	84	78
410-210564-4	PV-2_25	96 cn	94	65	65	75	74	68
410-210564-5	SG1-FTB01-250303	103 cn	98	76	72	79	81	75
410-210564-6	SG1-LTB01-250303	115 cn	110	77	76	80	82	74
LCS 410-614899/2-A	Lab Control Sample	104	99	71	70	74	79	69
LCSD 410-614899/3-A	Lab Control Sample Dup	123	107	75	80	86	81	81
MB 410-614899/1-A	Method Blank	138	124	83	88	95	92	88

Surrogate Legend

M262FTS = M2-6:2 FTS

M282FTS = M2-8:2 FTS

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C8PFOS = 13C8 PFOS

PFOSA = 13C8 FOSA

C3PFHS = 13C3 PFHxS

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified

Lab Sample ID: MB 410-614899/1-A

Matrix: Water

Analysis Batch: 615988

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 614899

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
6:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
8:2 Fluorotelomer sulfonic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
Perfluorobutanoic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
Perfluorodecanesulfonic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
Perfluoroheptanesulfonic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
Perfluorooctanesulfonamide	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1
Perfluoropentanoic acid	2.0	U	2.0	ng/L		03/10/25 10:13	03/12/25 17:40	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
M2-6:2 FTS	138		26 - 200	03/10/25 10:13	03/12/25 17:40	1
M2-8:2 FTS	124		27 - 200	03/10/25 10:13	03/12/25 17:40	1
13C4 PFBA	83		10 - 168	03/10/25 10:13	03/12/25 17:40	1
13C5 PFPeA	88		15 - 189	03/10/25 10:13	03/12/25 17:40	1
13C8 PFOS	95		44 - 153	03/10/25 10:13	03/12/25 17:40	1
13C8 FOSA	92		11 - 149	03/10/25 10:13	03/12/25 17:40	1
13C3 PFHxS	88		39 - 164	03/10/25 10:13	03/12/25 17:40	1

Lab Sample ID: LCS 410-614899/2-A

Matrix: Water

Analysis Batch: 615988

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 614899

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
6:2 Fluorotelomer sulfonic acid	24.4	20.6		ng/L		84	56 - 130
8:2 Fluorotelomer sulfonic acid	24.6	22.6		ng/L		92	55 - 130
Perfluorobutanoic acid	25.6	31.8		ng/L		124	56 - 130
Perfluorodecanesulfonic acid	24.7	29.0		ng/L		117	53 - 130
Perfluoroheptanesulfonic acid	24.4	29.7		ng/L		121	55 - 130
Perfluorooctanesulfonamide	25.6	25.7		ng/L		101	64 - 133
Perfluoropentanoic acid	25.6	28.3		ng/L		111	56 - 130

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
M2-6:2 FTS	104		26 - 200
M2-8:2 FTS	99		27 - 200
13C4 PFBA	71		10 - 168
13C5 PFPeA	70		15 - 189
13C8 PFOS	74		44 - 153
13C8 FOSA	79		11 - 149
13C3 PFHxS	69		39 - 164

Lab Sample ID: LCSD 410-614899/3-A

Matrix: Water

Analysis Batch: 615988

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 614899

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
6:2 Fluorotelomer sulfonic acid	24.4	20.9		ng/L		86	56 - 130	2	30
8:2 Fluorotelomer sulfonic acid	24.6	21.2		ng/L		86	55 - 130	6	30
Perfluorobutanoic acid	25.6	32.6		ng/L		128	56 - 130	3	30
Perfluorodecanesulfonic acid	24.7	29.0		ng/L		117	53 - 130	0	30
Perfluoroheptanesulfonic acid	24.4	28.2		ng/L		115	55 - 130	5	30

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method: 537 (Mod) - EPA 537 Version 1.1 modified (Continued)

Lab Sample ID: LCSD 410-614899/3-A

Matrix: Water

Analysis Batch: 615988

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 614899

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorooctanesulfonamide	25.6	26.3		ng/L		103	64 - 133	2	30
Perfluoropentanoic acid	25.6	27.6		ng/L		108	56 - 130	2	30

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
M2-6:2 FTS	123		26 - 200
M2-8:2 FTS	107		27 - 200
13C4 PFBA	75		10 - 168
13C5 PFPeA	80		15 - 189
13C8 PFOS	86		44 - 153
13C8 FOSA	81		11 - 149
13C3 PFHxS	81		39 - 164

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018

Lab Sample ID: MB 410-614331/1-A

Matrix: Water

Analysis Batch: 614988

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 614331

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
NEtFOSAA	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
NMeFOSAA	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorobutanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorodecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorododecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluoroheptanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorohexanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorohexanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorononanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorooctanesulfonic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorooctanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorotetradecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluorotridecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1
Perfluoroundecanoic acid	2.0	U	2.0	ng/L		03/07/25 13:51	03/10/25 15:08	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	117		70 - 130	03/07/25 13:51	03/10/25 15:08	1
13C2 PFHxA	113		70 - 130	03/07/25 13:51	03/10/25 15:08	1
d5-NEtFOSAA	110		70 - 130	03/07/25 13:51	03/10/25 15:08	1

Lab Sample ID: LCS 410-614331/3-A

Matrix: Water

Analysis Batch: 614988

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 614331

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
NEtFOSAA	20.5	19.5		ng/L		95	70 - 130
NMeFOSAA	20.5	21.2		ng/L		104	70 - 130
Perfluorobutanesulfonic acid	18.1	18.9		ng/L		105	70 - 130
Perfluorodecanoic acid	20.5	24.0		ng/L		117	70 - 130
Perfluorododecanoic acid	20.5	21.1		ng/L		103	70 - 130

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method: EPA 537.1 - EPA 537.1, Ver 1.0 Nov 2018 (Continued)

Lab Sample ID: LCS 410-614331/3-A

Matrix: Water

Analysis Batch: 614988

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 614331

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoroheptanoic acid	20.5	21.5		ng/L		105	70 - 130
Perfluorohexanesulfonic acid	18.7	19.8		ng/L		106	70 - 130
Perfluorohexanoic acid	20.5	22.5		ng/L		110	70 - 130
Perfluorononanoic acid	20.5	23.7		ng/L		116	70 - 130
Perfluorooctanesulfonic acid	19.0	20.4		ng/L		108	70 - 130
Perfluorooctanoic acid	20.5	22.8		ng/L		111	70 - 130
Perfluorotetradecanoic acid	20.5	23.1		ng/L		113	70 - 130
Perfluorotridecanoic acid	20.5	23.9		ng/L		117	70 - 130
Perfluoroundecanoic acid	20.5	24.1		ng/L		118	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
13C2 PFDA	123		70 - 130
13C2 PFHxA	118		70 - 130
d5-NEtFOSAA	118		70 - 130

QC Association Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

LCMS

Prep Batch: 614331

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-210564-1	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-210564-1 - DL	GAC INFLUENT	Total/NA	Water	537.1 DW Prep	
410-210564-2	GAC MIDFLUENT	Total/NA	Water	537.1 DW Prep	
410-210564-3	GAC EFFLUENT	Total/NA	Water	537.1 DW Prep	
410-210564-4	PV-2_25	Total/NA	Water	537.1 DW Prep	
410-210564-5	SG1-FTB01-250303	Total/NA	Water	537.1 DW Prep	
410-210564-6	SG1-LTB01-250303	Total/NA	Water	537.1 DW Prep	
MB 410-614331/1-A	Method Blank	Total/NA	Water	537.1 DW Prep	
LCS 410-614331/3-A	Lab Control Sample	Total/NA	Water	537.1 DW Prep	

Prep Batch: 614899

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-210564-1	GAC INFLUENT	Total/NA	Water	SPE	
410-210564-2	GAC MIDFLUENT	Total/NA	Water	SPE	
410-210564-3	GAC EFFLUENT	Total/NA	Water	SPE	
410-210564-4	PV-2_25	Total/NA	Water	SPE	
410-210564-5	SG1-FTB01-250303	Total/NA	Water	SPE	
410-210564-6	SG1-LTB01-250303	Total/NA	Water	SPE	
MB 410-614899/1-A	Method Blank	Total/NA	Water	SPE	
LCS 410-614899/2-A	Lab Control Sample	Total/NA	Water	SPE	
LCSD 410-614899/3-A	Lab Control Sample Dup	Total/NA	Water	SPE	

Analysis Batch: 614988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-210564-1	GAC INFLUENT	Total/NA	Water	EPA 537.1	614331
410-210564-2	GAC MIDFLUENT	Total/NA	Water	EPA 537.1	614331
410-210564-3	GAC EFFLUENT	Total/NA	Water	EPA 537.1	614331
410-210564-4	PV-2_25	Total/NA	Water	EPA 537.1	614331
410-210564-5	SG1-FTB01-250303	Total/NA	Water	EPA 537.1	614331
410-210564-6	SG1-LTB01-250303	Total/NA	Water	EPA 537.1	614331
MB 410-614331/1-A	Method Blank	Total/NA	Water	EPA 537.1	614331
LCS 410-614331/3-A	Lab Control Sample	Total/NA	Water	EPA 537.1	614331

Analysis Batch: 615663

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-210564-1 - DL	GAC INFLUENT	Total/NA	Water	EPA 537.1	614331

Analysis Batch: 615988

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
410-210564-1	GAC INFLUENT	Total/NA	Water	537 (Mod)	614899
410-210564-2	GAC MIDFLUENT	Total/NA	Water	537 (Mod)	614899
410-210564-3	GAC EFFLUENT	Total/NA	Water	537 (Mod)	614899
410-210564-4	PV-2_25	Total/NA	Water	537 (Mod)	614899
410-210564-5	SG1-FTB01-250303	Total/NA	Water	537 (Mod)	614899
410-210564-6	SG1-LTB01-250303	Total/NA	Water	537 (Mod)	614899
MB 410-614899/1-A	Method Blank	Total/NA	Water	537 (Mod)	614899
LCS 410-614899/2-A	Lab Control Sample	Total/NA	Water	537 (Mod)	614899
LCSD 410-614899/3-A	Lab Control Sample Dup	Total/NA	Water	537 (Mod)	614899

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: GAC INFLUENT

Lab Sample ID: 410-210564-1

Date Collected: 03/03/25 09:40

Matrix: Water

Date Received: 03/05/25 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 21:18
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 18:16
Total/NA	Prep	537.1 DW Prep	DL		614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1	DL	10	615663	XBL5	ELLE	03/11/25 19:07

Client Sample ID: GAC MIDFLUENT

Lab Sample ID: 410-210564-2

Date Collected: 03/03/25 09:45

Matrix: Water

Date Received: 03/05/25 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 21:32
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 18:30

Client Sample ID: GAC EFFLUENT

Lab Sample ID: 410-210564-3

Date Collected: 03/03/25 09:50

Matrix: Water

Date Received: 03/05/25 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 21:46
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 18:57

Client Sample ID: PV-2_25

Lab Sample ID: 410-210564-4

Date Collected: 03/03/25 09:55

Matrix: Water

Date Received: 03/05/25 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 21:59
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 19:10

Client Sample ID: SG1-FTB01-250303

Lab Sample ID: 410-210564-5

Date Collected: 03/03/25 10:00

Matrix: Water

Date Received: 03/05/25 09:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 22:13
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 19:24

Eurofins Lancaster Laboratories Environment Testing, LLC

Lab Chronicle

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Client Sample ID: SG1-LTB01-250303
Date Collected: 03/03/25 00:00
Date Received: 03/05/25 09:35

Lab Sample ID: 410-210564-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SPE			614899	D5VP	ELLE	03/10/25 10:13
Total/NA	Analysis	537 (Mod)		1	615988	MC7V	ELLE	03/12/25 22:26
Total/NA	Prep	537.1 DW Prep			614331	ULU3	ELLE	03/07/25 13:51
Total/NA	Analysis	EPA 537.1		1	614988	XBL5	ELLE	03/10/25 19:37

Laboratory References:
ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10670	04-01-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
537 (Mod)	SPE	Water	6:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	8:2 Fluorotelomer sulfonic acid
537 (Mod)	SPE	Water	Perfluorobutanoic acid
537 (Mod)	SPE	Water	Perfluorodecanesulfonic acid
537 (Mod)	SPE	Water	Perfluoroheptanesulfonic acid
537 (Mod)	SPE	Water	Perfluorooctanesulfonamide
537 (Mod)	SPE	Water	Perfluoropentanoic acid
EPA 537.1	537.1 DW Prep	Water	NEtFOSAA
EPA 537.1	537.1 DW Prep	Water	NMeFOSAA
EPA 537.1	537.1 DW Prep	Water	Perfluorobutanesulfonic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorodecanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorododecanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluoroheptanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorohexanesulfonic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorohexanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorononanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorooctanesulfonic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorooctanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorotetradecanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluorotridecanoic acid
EPA 537.1	537.1 DW Prep	Water	Perfluoroundecanoic acid

Method Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Method	Method Description	Protocol	Laboratory
537 (Mod)	EPA 537 Version 1.1 modified	EPA	ELLE
EPA 537.1	EPA 537.1, Ver 1.0 Nov 2018	EPA	ELLE
537.1 DW Prep	Extraction of Perfluorinated Alkyl Acids	EPA	ELLE
SPE	PFAS by SPE	Lab SOP	ELLE

Protocol References:

EPA = US Environmental Protection Agency
Lab SOP = Laboratory Standard Operating Procedure

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Sample Summary

Client: CT Male Associates DPC
Project/Site: Hoosick Falls WTP

Job ID: 410-210564-1
SDG: HOO

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
410-210564-1	GAC INFLUENT	Water	03/03/25 09:40	03/05/25 09:35
410-210564-2	GAC MIDFLUENT	Water	03/03/25 09:45	03/05/25 09:35
410-210564-3	GAC EFFLUENT	Water	03/03/25 09:50	03/05/25 09:35
410-210564-4	PV-2_25	Water	03/03/25 09:55	03/05/25 09:35
410-210564-5	SG1-FTB01-250303	Water	03/03/25 10:00	03/05/25 09:35
410-210564-6	SG1-LTB01-250303	Water	03/03/25 00:00	03/05/25 09:35



Ver. 01/16/2019 3/14/2025

Login Sample Receipt Checklist

Client: CT Male Associates DPC

Job Number: 410-210564-1

SDG Number: HOO

Login Number: 210564

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Santiago, Nathaniel

Question	Answer	Comment
The cooler's custody seal is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature acceptable,where thermal pres is required(</=6C, not frozen).	True	
Cooler Temperature is recorded.	True	
WV:Container Temp acceptable,where thermal pres is required (</=6C, not frozen).	N/A	
WV: Container Temperature is recorded.	N/A	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses.	True	
Is the Field Sampler's name present on COC?	True	
Sample custody seals are intact.	N/A	
VOA sample vials do not have headspace >6mm in diameter (none, if from WV)?	N/A	

Sample Preservation Checks (performed by the laboratory)

Question	Answer	Comment
Did the sample containers checked meet expected preservation conditions?	False	Refer to Job Narrative for details.