

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014558-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDC

Grab/Collection Date: 03/24/2016 07:50

Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS

Sampling Location Details: TEMP GAC EFFLUENT

Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014558-01

Sample Type: Finished Water

Received Temperature (°C): **10.2**

Lab Tracking Id: TEMP GAC EFF

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014886-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: LLOYD WILSON
Collected by: LLOYD WILSON

Grab/Collection Date: 03/26/2016 12:00

Date received: 03/26/2016 14:20

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: PSW - HF - 1 ROGERS TANK

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014886-01

Sample Type: Finished Water

Received Temperature (°C): 11.2

Lab Tracking Id: ROGERS TANK

Laboratory Special Analysis

Start Date: 03/26/16 16:00 Analysis Date: 03/26/16 18:00

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014888-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by lrw03 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: LLOYD WILSON
Collected by: LLOYD WILSON

Grab/Collection Date: 03/26/2016 12:15

Date received: 03/26/2016 14:20

Location/Project/Facility Name: NY4100041 HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: PSW - HF - [REDACTED] ROGERS

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014888-01

Sample Type: Finished Water

Received Temperature (°C): 12.0

Lab Tracking Id: [REDACTED] ROGERS

Laboratory Special Analysis

Start Date: 03/26/16 16:00 Analysis Date: 03/26/16 18:00

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014559-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDE

Grab/Collection Date: 03/24/2016 08:10
Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: DPW GARAGE RESTROOM CWT
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014559-01

Sample Type: Finished Water

Received Temperature (°C): **10.2**

Lab Tracking Id: DPW GARAGE

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014563-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDI

Grab/Collection Date: 03/24/2016 09:15

Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS

Sampling Location Details: NIXON

Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014563-01

Sample Type: Finished Water

Received Temperature (°C): 9.6

Lab Tracking Id: NIXON

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014562-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDH

Grab/Collection Date: 03/24/2016 09:05

Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS

Sampling Location Details: CENTER ST

Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014562-01

Sample Type: Finished Water

Received Temperature (°C): **10.3**

Lab Tracking Id: CENTER

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014442-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HF05

Grab/Collection Date: 03/23/2016 15:45

Date received: 03/23/2016 21:30

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS

Sampling Location Details: RENSSELAER AVE TANK

Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014442-01

Sample Type: Finished Water

Received Temperature (°C): 10.3

Lab Tracking Id: RENS TANK

Laboratory Special Analysis

Start Date: 03/23/16 22:00 Analysis Date: 3/24/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014557-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDB

Grab/Collection Date: 03/24/2016 07:35

Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS

Sampling Location Details: SNOW ST

Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014557-01

Sample Type: Finished Water

Received Temperature (°C): 9.3

Lab Tracking Id: SNOW

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014889-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: LLOYD WILSON
Collected by: LLOYD WILSON

Grab/Collection Date: 03/26/2016 12:30

Date received: 03/26/2016 14:20

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: PWS - HF - 3- 24 MAIN VILLAGE HALL

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry

NYS ELAP ID: 10763

Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan

CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014889-01

Sample Type: Finished Water

Received Temperature (°C): **13.1**

Lab Tracking Id: VILLAGE HALL

Laboratory Special Analysis

Start Date: 03/26/16 16:00 Analysis Date: 03/26/16 18:00

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014564-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDJ

Grab/Collection Date: 03/24/2016 09:50
Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: JOHNSON HILL RD
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014564-01

Sample Type: Finished Water

Received Temperature (°C): 9.6

Lab Tracking Id: JOHNSON HILL

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014565-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDK

Grab/Collection Date: 03/24/2016 10:00
Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: SARATOGA AVE [REDACTED]
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014565-01

Sample Type: Finished Water

Received Temperature (°C): **10.3**

Lab Tracking Id: SARATOGA

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health

Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: EHS1600014858-SR-1

Page 1 of 1

Report Date: 03/29/2016

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: LLOYD WILSON
Collected by: LLOYD WILSON

Grab/Collection Date: 03/24/2016 19:15
Date received: 03/24/2016 21:30

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: PWS - HF - OAK MITSUI
1 MECHANIC STREET

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014858-01

Sample Type: Finished Water

Received Temperature (°C): 9.1

Lab Tracking Id: OAK MITSUI

Laboratory Special Analysis

Start Date: 03/24/16 22:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014560-SR-2**

Page 1 of 1

****Replaces information in report No: EHS1600014560-SR-1**

Report Date: **04/05/2016**

Report retrieved via NYSDOH Health Commerce System by lrw03 on 04/05/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDF

Grab/Collection Date: 03/24/2016 08:40
Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: MARTIN
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014560-01

Sample Type: Finished Water

Received Temperature (°C): 9.9

Lab Tracking Id: MARTIN

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health
Wadsworth Center

PO Box 509, Albany, New York 12201-0509

Report No: **EHS1600014561-SR-1**

Page 1 of 1

Report Date: **03/29/2016**

Report retrieved via NYSDOH Health Commerce System by msk02 on 03/29/2016

REQUESTED BY: DIRECTOR-WCENVIRO

DIRECTOR'S OFFICE
DIVISION OF ENVIRONMENTAL HEALTH SCIENCES
WADSWORTH CENTER
PO BOX 509
EMPIRE STATE PLAZA
ALBANY NY 12201-0509

Wadsworth Center - Environmental Labs

County: RENSSELAER
City (or) Town: HOOSICK FALLS
Submitted by: T. VICKERSON
Collected by: T. VICKERSON

Submitter's Reference Number: HFDG

Grab/Collection Date: 03/24/2016 08:52
Date received: 03/24/2016 14:40

Location/Project/Facility Name: NY4100041, HOOSICK FALLS (V) PWS - HOOSICK FALLS
Sampling Location Details: CUMMINGS KITCHEN CWT
Chlorinated: Yes

FINAL LABORATORY REPORT

Laboratory of Organic Analytical Chemistry
NYS ELAP ID: 10763
Wadsworth Center, Empire State Plaza

LAB DIRECTOR: Dr. K. Kannan
CONTACT: Dr. David Spink 518-486-2530

Sample Id: EHS1600014561-01

Sample Type: Finished Water

Received Temperature (°C): **10.9**

Lab Tracking Id: CUMMINGS

Laboratory Special Analysis

Start Date: 03/24/16 15:00 Analysis Date: 3/25/2016

Perfluorooctanoic acid (PFOA): <2 ng/L

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.